



Autocrypt Level 1 Specification

Release 1.0.0

Autocrypt team, licensed CC0

Jan 17, 2018

Autocrypt aims to incrementally and carefully replace cleartext e-mail with end-to-end encrypted e-mail. This differs from the traditional approach of maximizing the security of individual mail communications. **Sometimes Autocrypt recommends to send cleartext mail even though encryption appears technically possible.** This is because we want to avoid unreadable mail for users. Users may mix both Autocrypt-capable and traditional mail apps and they may lose devices or in other ways the ability to decrypt in unrecoverable ways. Reverting to cleartext when we suspect such situations is a key part of our aim to stay out of the way of users.

Another major difference in approach is that Autocrypt Level 1 only defends against passive data collection attacks. We share and support **the new perspective stated in RFC7435 (“Opportunistic Security: Some Protection Most of the Time”)**¹. Protection against active adversaries (those which modify messages in transit) is the aim of future specifications.

Level 1 makes it easy for users to encrypt, based on an automatic and decentralized key distribution mechanism. There are no dependencies on key servers and it is meant to work with existing e-mail providers. Level 1 focuses on the use of Autocrypt on a single device. Users get rudimentary support on using Autocrypt on more than one device or mail app. This is internally realized through sending and receiving an Autocrypt Setup Message, secured by manually entering a long number. Improving usability for maintaining synchronized Autocrypt state on multiple devices is the aim of future specification efforts.

Last but not least, Level 1 is meant to be relatively easy for developers to adopt. It describes the basic capabilities required for a mail app to be Autocrypt-capable at Level 1, allowing it to exchange end-to-end encrypted e-mails with other Autocrypt-capable mail apps. The spec contains detailed guidance on protocol, internal state and user interface concerns. We have a good track record of supporting new implementers. Please don't hesitate to **contact the group**² or bring up issues or pull requests. Autocrypt is a living specification and we envision both bugfix and backward-compatible feature releases.

¹ <https://tools.ietf.org/html/rfc7435.html#section-1.2>

² <https://autocrypt.org/en/latest/contact.html>

Contents

1	Overview	3
1.1	Approach and High Level Overview	3
1.2	Requirements on MUA/E-mail Provider interactions	3
1.3	Autocrypt Internal State	3
1.3.1	Communication Peers	3
1.3.2	Accounts controlled by the MUA	4
2	Peer State Management	4
2.1	The Autocrypt Header	4
2.1.1	OpenPGP Based key data	5
2.1.2	Header injection in outbound mail	5
2.2	Internal state storage	6
2.3	Updating Autocrypt Peer State	6
2.4	Provide a recommendation for message encryption	7
2.4.1	Recommendation structure	7
2.4.2	Recommendations for single-recipient messages	8
2.4.3	Recommendations for messages to multiple addresses	9
2.5	Mail Encryption	9
2.5.1	E-mail Drafts	9
2.5.2	Cleartext replies to encrypted mail	9
2.6	Key Gossip	10
2.6.1	Key Gossip Injection in Outbound Mail	10
2.6.2	Updating Autocrypt Peer State from Key Gossip	10
3	Managing accounts controlled by the MUA	10
3.1	Secret key generation and storage	11
3.1.1	Secret key protection at rest	11
3.2	Handling Multiple Accounts and Aliases	11
3.3	Avoiding MUA Conflicts	11
3.4	Autocrypt Setup Message	11
3.4.1	Message Structure	12
3.4.2	Setup Code	12
3.4.3	Setup Message Creation	13
3.4.4	Setup Message Import	13
4	User Interface	14
4.1	Message Composition	14
4.2	Account Preferences	15
4.3	Helping Users get Started	15
4.4	Disabling Autocrypt	15
4.5	Destroying Secret Key Material	15
5	Appendix	16
5.1	E-mail Address Canonicalization	16
5.2	Example Autocrypt headers	16
5.3	Example Autocrypt Gossip headers	17
5.4	Example Copy when a Reply can't be Encrypted	21
5.5	Example User Interaction for Setup Message Creation	21
5.6	Example User Interaction for Setup Message Receipt	22
5.7	Example Setup Message	22

1 Overview

1.1 Approach and High Level Overview

Autocrypt's primary goal is to automate both secret and public key management so that users can encrypt mail without specialized knowledge.

This specification adds an *Autocrypt-specific mail header* (page 4) to outgoing mails, which contains, among other information, the sender's public key. Transferring public keys in-band means that key discovery in Autocrypt does not require external infrastructure like OpenPGP key servers or x509 PKI.

Autocrypt provides a *set of rules* (page 6) that tracks this information for each communication peer. Autocrypt uses this information to determine whether encryption is possible and makes a *recommendation* (page 7) about whether encryption should be enabled for a given set of recipients.

This specification also introduces the *Autocrypt Setup Message* (page 11) as a way to transfer secret key material and related settings to other e-mail programs controlled by the same user. This spec also provides guidance on how and when to *generate* (page 13), *look for* (page 15), and *import* (page 13) these messages.

Autocrypt aggressively distributes public keys, but conservatively recommends encryption to avoid disruption to established email workflows. Specifically, Autocrypt only recommends that an email be encrypted if encryption is possible, and:

1. The sender specifically requests encryption during message composition;
2. The email is in reply to an encrypted message; or,
3. The sender and the recipients have explicitly stated that they *prefer* (page 4) encrypted email.

1.2 Requirements on MUA/E-mail Provider interactions

Autocrypt tries to impose minimal requirements on MUA and e-mail service interactions. Specifically, an Autocrypt-capable MUA needs to be able to:

- Control the contents of outgoing e-mail including the ability to set custom e-mail headers;
- Send e-mail on its own (required by the *Autocrypt Setup Message* (page 11));
- Read whole, raw e-mails including message headers; and,
- Optionally, scan the user's mailbox for mail with specific headers.

If a particular e-mail account does not expose one of the required features (e.g., if it only exposes a javascript-driven web interface for message composition that does not allow setting e-mail headers), then the e-mail account cannot be used with Autocrypt. An Autocrypt-capable MUA may still access and control the account, but it will not be able to enable Autocrypt on it.

1.3 Autocrypt Internal State

An Autocrypt MUA needs to associate information with the peers it communicates with and the accounts it controls.

1.3.1 Communication Peers

Each communication peer is identified by an e-mail address. Autocrypt associates state with each peer. Conceptually, we represent this state as a table named `peers`, which is indexed by the peer's *canonicalized e-mail address* (page 16), .

For the peer with the address `addr`, an MUA MUST associate the following attributes with `peers[addr]`:

- `last_seen`: The UTC timestamp of the most recent effective date (*definition* (page 6)) of all messages that the MUA has processed from this peer.

- `autocrypt_timestamp`: The UTC timestamp of the most recent effective date (the “youngest”) of all messages containing a valid `Autocrypt` header that the MUA has processed from this peer.
- `public_key`: The value of the `keydata` attribute derived from the youngest `Autocrypt` header that has ever been seen from the peer.
- `prefer_encrypt`: The `prefer-encrypt` value (either `nopreference` or `mutual`) derived from the youngest `Autocrypt` header ever seen from the peer.

Autocrypt-capable MUAs that implement *Gossip* (page 10) should also associate the following additional attributes with `peers[addr]`:

- `gossip_timestamp`: the UTC timestamp of the most recent effective date of all messages containing a valid `Autocrypt-Gossip` header about the peer.
- `gossip_key`: the value of the `keydata` attribute derived from the most recent message containing a valid `Autocrypt-Gossip` header about the peer.

How this information is managed and used is discussed in *Peer State Management* (page 4).

1.3.2 Accounts controlled by the MUA

A Level 1 MUA maintains an internal structure `accounts` indexed by the account’s *canonicalized e-mail address* (page 16) (`addr`). For each account controlled by the MUA, `accounts[addr]` has the following attributes:

- `enabled`: a boolean value, indicating whether `Autocrypt` is enabled for this account.
- `secret_key`: The RSA secret key material used for the account (see *Secret key generation and storage* (page 11)).
- `public_key`: The OpenPGP transferable public key (**OpenPGP “Transferable Public Key”³**) derived from the secret key.
- `prefer_encrypt`: The user’s encryption preference for this account. This is either `mutual` or `nopreference`. This SHOULD default to `nopreference`.

If `accounts[addr].enabled` is `true`, the MUA SHOULD allow the user to switch the setting for `accounts[addr].prefer_encrypt`. This choice might be hidden in something like a “preferences pane”. See *Account Preferences* (page 15) for a specific example of how this could look.

How this information is managed and used is discussed in *Managing accounts controlled by the MUA* (page 10).

2 Peer State Management

An `Autocrypt` MUA updates the state it holds for each communication peer using the e-mails received from that peer. Specifically, `Autocrypt` updates the state using the `Autocrypt` e-mail header.

2.1 The `Autocrypt` Header

The `Autocrypt` header has the following format:

```
Autocrypt: addr=a@b.example.org; [prefer-encrypt=mutual;] keydata=BASE64
```

There are three defined attributes:

- The `addr` attribute is mandatory, and contains the single recipient address this header is valid for. If this address differs from the one in the `From` header, the entire `Autocrypt` header MUST be treated as invalid.

The Internet Message Format⁴ documents three types of originator fields: `From`, `Sender`, and `Reply-To`. `Autocrypt` is concerned only with the `From` field, and ignores the other originator fields.

³ <https://tools.ietf.org/html/rfc4880.html#section-11.1>

⁴ <https://tools.ietf.org/html/rfc5322.html#section-3.6.2>

- The `prefer-encrypt` attribute is optional and can only occur with the value `mutual`. Its presence in the Autocrypt header indicates an agreement to enable encryption by default with other peers who have the same preference. An Autocrypt Level 1 MUA that sees the attribute with any other value (or that does not see the attribute at all) should interpret the value as `nopreference`.
- The `keydata` attribute is mandatory, and contains the key data for the specified `addr` recipient address. The value of the `keydata` attribute is a Base64 representation of the binary **OpenPGP “Transferable Public Key”**⁵. For ease of parsing, the `keydata` attribute MUST be the last attribute in this header.

Additional attributes are possible before the `keydata` attribute. If an attribute name starts with an underscore (`_`), it is a “non-critical” attribute. An attribute name without a leading underscore is a “critical” attribute. The MUA SHOULD ignore any unsupported non-critical attributes and continue parsing the rest of the header as though the attribute does not exist. It MUST treat the entire Autocrypt header as invalid if it encounters a “critical” attribute that it doesn’t support.

To introduce incompatible changes, future versions of Autocrypt may send multiple Autocrypt headers, and hide the incompatible headers from Level 1 MUAs by using critical attributes. According to the above rules, such headers will be judged invalid, and discarded by level 1 MUAs. Such an update to the specification will also have to describe how an updated MUA will deal with multiple valid headers.

2.1.1 OpenPGP Based key data

The `keydata` sent by an Autocrypt-enabled Level 1 MUA MUST consist of an **OpenPGP “Transferable Public Key”**⁶ containing exactly these five OpenPGP packets:

- a signing-capable primary key
- a user id
- a self signature over the user id by the primary key
- an encryption-capable subkey
- a binding signature over the subkey by the primary key

The content of the user id packet is only decorative. By convention, it contains the same address used in the `addr` attribute placed in angle brackets. (This makes it conform to the **RFC 5322**⁷ grammar `angle-addr`.) For compatibility concerns, the user id SHOULD NOT be an empty string.

These packets MUST be assembled in binary format (not ASCII-armored), and then base64-encoded.

A Level 1 MUA MUST be capable of processing and handling 2048-bit and 3072-bit RSA public keys. It MAY support other OpenPGP key formats found in an Autocrypt header (for example, by passing it agnostically to an OpenPGP backend for handling).

2.1.2 Header injection in outbound mail

During message composition, if the `From:` header of the outgoing e-mail (the `from-addr`) matches an address for which `accounts[from-addr].enabled` is `true` and the Autocrypt-capable MUA has secret key material (`accounts[from-addr].secret_key`), the MUA SHOULD include an Autocrypt header.

This header MUST contain the corresponding public key material (`accounts[from-addr].public_key`) as the `keydata` attribute, and `from-addr` as the `addr` attribute. The most minimal Level 1 compliant MUA will only include these two attributes. If `accounts[from-addr].prefer_encrypt` is set to `mutual`, then the header MUST have a `prefer-encrypt` attribute with the value `mutual`.

The MUA MUST NOT include more than one valid Level 1 Autocrypt header (see *Updating Autocrypt Peer State* (page 6)).

If the `From` address changes during message composition (e.g., if the user selects a different outbound identity), then the MUA MUST change the Autocrypt header accordingly.

⁵ <https://tools.ietf.org/html/rfc4880.html#section-11.1>

⁶ <https://tools.ietf.org/html/rfc4880.html#section-11.1>

⁷ <https://tools.ietf.org/html/rfc5322.html>

An MUA SHOULD send out the same `Autocrypt:` header in all messages from a given outbound identity. An MUA SHOULD NOT vary the header based on the message's recipients. If (for whatever reason) the MUA needs to update (or discovers an update of) the user's `keydata` at some point, the MUA SHOULD send the updated `keydata` in all subsequent `Autocrypt` headers.

See *Example Autocrypt headers* (page 16) for examples of outbound headers and the following sections for header format definitions and parsing.

2.2 Internal state storage

See *Communication Peers* (page 3) for the information stored for each communication peer.

Autocrypt MUAs keep state about each peer, to handle several nuanced situations that have caused trouble or annoyance in the past. This state is updated even when the peer sends mail without an `Autocrypt` header.

For example, if a remote peer disables Autocrypt or drops back to only using a non-Autocrypt MUA, we must stop sending encrypted mails to this peer automatically.

In addition to the per-peer state described in *Communication Peers* (page 3), MUAs MAY also store other information gathered for heuristic purposes, or for other cryptographic schemes (see *the Autocrypt website*⁸ for some example ideas).

However, in order to support future synchronization of Autocrypt state between MUAs, it is critical that Autocrypt-capable MUAs maintain the state specified here, regardless of what additional state they track.

Note:

- An implementation MAY also choose to use keys from other sources (e.g., a local keyring) at its own discretion.
 - If an implementation chooses to automatically ingest a key from an `application/pgp-keys` attachment as though it was found in an `Autocrypt` header, it should only do so if the attached key has a `User ID`⁹ that matches the message's `From` address.
-

2.3 Updating Autocrypt Peer State

Incoming messages may be processed to update the `peers` entry for the sender identified by `from-addr` as extracted from the `From` header, by an MUA at receive or display time.

Messages SHOULD be ignored (i.e., `peers[from-addr]` SHOULD NOT be updated) in the following cases:

- The `content-type` is `multipart/report`. In this case, it can be assumed the message was auto-generated. This avoids triggering a `reset` state from received Message Disposition Notifications (RFC 3798¹⁰).
- There is more than one address in the `From` header.
- The MUA believes the message to be spam. If the user marks the message as not being spam the message MAY then be processed for `Autocrypt` headers.

When parsing an incoming message, an MUA SHOULD examine all `Autocrypt` headers, rather than just the first one. If there is more than one valid header, this SHOULD be treated as an error, and all `Autocrypt` headers discarded as invalid.

Updating `peers[from-addr]` depends on:

- the `effective date` of the message, which we define as the sending time of the message as indicated by its `Date` header, or the time of receipt if that date is in the future or unavailable.

⁸ <https://autocrypt.org/en/latest/optional-state.html>

⁹ <https://tools.ietf.org/html/rfc4880.html#section-5.11>

¹⁰ <https://tools.ietf.org/html/rfc3798.html>

Note: A message without a `Date` header, or with a `Date` that seems to be in the far future can cause problems for MUAs that encounter the message repeatedly (e.g. re-delivery, subsequent scans, etc). An MUA MAY decide to ignore such a message entirely for the purposes of Autocrypt processing. If an MUA is capable of associating information with a received message, it could instead save the `effective_date` of such a message the first time it sees it to avoid accidental re-processing.

- the `keydata` and `prefer-encrypt` attributes of the single valid Autocrypt header (see above), if available.

The update process proceeds as follows:

1. If the message's effective date is older than the `peers[from-addr].autocrypt_timestamp` value, then no changes are required, and the update process terminates.
2. If the message's effective date is more recent than `peers[from-addr].last_seen` then set `peers[from-addr].last_seen` to the message's effective date.
3. If the Autocrypt header is unavailable, no further changes are required and the update process terminates.
4. Set `peers[from-addr].autocrypt_timestamp` to the message's effective date.
5. Set `peers[from-addr].public_key` to the corresponding `keydata` value of the Autocrypt header.
6. Set `peers[from-addr].prefer_encrypt` to the corresponding `prefer-encrypt` value of the Autocrypt header.

2.4 Provide a recommendation for message encryption

On message composition, an Autocrypt-capable MUA can decide whether to try to encrypt the new e-mail message. Autocrypt provides a recommendation for the MUA.

All Autocrypt-capable MUAs should be able to calculate the same Autocrypt recommendation.

This recommendation algorithm provides sensible guidance that avoids many common problems, and Autocrypt-capable MUAs SHOULD follow the recommendation. An implementation that deviates from the recommendation should do so on the basis of specific external evidence or knowledge, while carefully considering the impact of any variation, including:

- does it increase the chance of producing unexpectedly unreadable mail (for either the sender or the recipient)?
- does it leak previously encrypted content in the clear?
- does it force the user to confront a choice they do not have the information or knowledge to make safely?

If an implementation deviates from the Autocrypt recommendation in a meaningful and useful way, the implementer should describe the variation publicly so it can be considered for future revisions of this specification.

2.4.1 Recommendation structure

The Autocrypt recommendation depends on the recipient addresses of the draft message, and on whether or not the message is a reply to an encrypted message. When the user changes the recipients during composition, the Autocrypt recommendation may change.

The output of the Autocrypt recommendation algorithm has two elements:

- `ui-recommendation`: a single state recommending the state of the encryption user interface, described below.
- `target-keys`: a map of recipient addresses to public keys.

`ui-recommendation` can take four possible values:

- `disable`: Disable or hide any UI that would allow the user to choose to encrypt the message. This happens iff encryption is not immediately possible.
- `discourage`: Enable UI that would allow the user to choose to encrypt the message, but do not default to encryption. If the user manually enables encryption, the MUA SHOULD warn that the recipient may not be able to read the message. This warning message MAY be supplemented using [optional counters and user-agent state](#)¹¹.
- `available`: Enable UI that would allow the user to choose to encrypt the message, but do not default to encryption.
- `encrypt`: Enable UI that would allow the user to choose to send the message in cleartext, and default to encryption.

2.4.2 Recommendations for single-recipient messages

The Autocrypt recommendation for a message composed to a single recipient with the e-mail address `to-addr` depends primarily on the value stored in `peers[to-addr]` (page 3).

Determine if encryption is possible

If there is no `peers[to-addr]`, then set `ui-recommendation` to `disable`, and terminate.

For the purposes of the rest of this recommendation, if either `public_key` or `gossip_key` is revoked, expired, or otherwise known to be unusable for encryption, then treat that key as though it were `null` (not present).

If both `public_key` and `gossip_key` are `null`, then set `ui-recommendation` to `disable` and terminate.

Otherwise, we derive the recommendation using a two-phase algorithm. The first phase computes the `preliminary-recommendation`.

Preliminary Recommendation

If `public_key` is `null`, then set `target-keys[to-addr]` to `gossip_key` and set `preliminary-recommendation` to `discourage` and skip to the [Deciding to Encrypt by Default](#) (page 8).

Otherwise, set `target-keys[to-addr]` to `public_key`.

If `autocrypt_timestamp` is more than 35 days older than `last_seen`, set `preliminary-recommendation` to `discourage`.

Otherwise, set `preliminary-recommendation` to `available`.

Deciding to Encrypt by Default

The final phase turns on encryption by setting `ui-recommendation` to `encrypt` in two scenarios:

- If `preliminary-recommendation` is either `available` or `discourage`, and the message is composed as a reply to an encrypted message, or
- If the `preliminary-recommendation` is `available` and both `peers[to-addr].prefer_encrypt` and `accounts[from-addr].prefer_encrypt` are mutual.

Otherwise, the `ui-recommendation` is set to `preliminary-recommendation`.

¹¹ <https://autocrypt.org/en/latest/optional-state.html>

2.4.3 Recommendations for messages to multiple addresses

For level 1 MUAs, the Autocrypt recommendation for a message composed to multiple recipients, we derive the message's recommendation from the recommendations for each recipient individually.

The aggregate `target-keys` for the message is the merge of all recipient `target-keys`.

The aggregate `ui-recommendation` for the message is derived in the following way (the earliest matching rule encountered below takes precedence over later rules):

1. If any recipient has a `ui-recommendation` of `disable`, then the message's `ui-recommendation` is `disable`.
2. If every recipient has a `ui-recommendation` of `encrypt`, then the message `ui-recommendation` is `encrypt`.
3. If any recipient has a `ui-recommendation` of `discourage`, then the message `ui-recommendation` is `discourage`.

Otherwise, the message `ui-recommendation` is available.

While composing a message, a situation might occur where the `ui-recommendation` is available, the user has explicitly enabled encryption, and then modifies the list of recipients in a way that changes the `ui-recommendation` to `disable`. When this happens, the MUA should not disable encryption without communicating this to the user. A graceful way to handle this situation is to save the enabled state, and only prompt the user about the issue when they send the mail.

2.5 Mail Encryption

Note: An e-mail that is said to be “encrypted” here will be both signed and encrypted in the cryptographic sense.

An outgoing e-mail will be sent encrypted in either of two cases:

- the Autocrypt recommendation for the list of recipients is `encrypt`, and not explicitly overridden by the user, or
- the Autocrypt recommendation is `available` or `discourage`, and the user chose to encrypt.

When encrypting, the MUA MUST construct the encrypted message as a **PGP/MIME**¹² message that is signed by the user's Autocrypt key, and encrypted to the currently known Autocrypt key of each recipient, as well as the sender's Autocrypt key.

2.5.1 E-mail Drafts

For messages that are going to be encrypted when sent, the MUA MUST take care to not leak the cleartext of drafts or other partially composed messages to their e-mail provider (e.g., in the “Drafts” folder). If there is a chance that a message could be encrypted, the MUA SHOULD encrypt the draft only to itself before storing it remotely. The MUA SHOULD NOT sign drafts.

2.5.2 Cleartext replies to encrypted mail

In the common case, a reply to an encrypted message will also be encrypted. Due to Autocrypt's opportunistic approach to key discovery, however, it is possible that keys for some of the recipients may not be available, and, as such, a reply can only be sent in the clear.

To avoid leaking cleartext from the original encrypted message in this case, the MUA MAY prepare the cleartext reply without including any of the typically quoted and attributed text from the previous message. Additionally,

¹² <https://tools.ietf.org/html/rfc3156.html>

the MUA MAY include some text in the message body describing why the usual quoted text is missing. An example of such copy can be found in *Example Copy when a Reply can't be Encrypted* (page 21).

The above recommendations are only “MAY” and not “SHOULD” or “MUST” because we want to accommodate a user-friendly Level 1 MUA that stays silent and does not impede the user’s ability to reply. Opportunistic encryption means we can’t guarantee encryption in every case.

2.6 Key Gossip

It is a common use case to send an encrypted mail to a group of recipients. To ensure that these recipients can encrypt messages when replying to that same group, the keys of all recipients can be included in the encrypted payload. This does not include BCC recipients, which by definition must not be revealed to other recipients.

The `Autocrypt-Gossip` header has the format as the `Autocrypt` header (see *autocryptheaderformat* (page 6)). Its `addr` attribute indicates the recipient address this header is valid for as usual, but may relate to any recipient in the `To` or `Cc` header. See example in *Example Autocrypt Gossip headers* (page 17)

2.6.1 Key Gossip Injection in Outbound Mail

An Autocrypt MUA MAY include `Autocrypt-Gossip` headers in messages with more than one recipient. These headers MUST be placed in the root MIME part of the encrypted message payload. The encrypted payload in this case contains one `Autocrypt-Gossip` header for each recipient, each of which:

- MUST include an `addr` attribute that matches one of the recipients in the `To` or `Cc` headers.
- MUST include the `keydata` attribute which MUST contain the same public key which is used to encrypt the mail to the recipient referenced by `addr`. See also *Preliminary Recommendation* (page 8) for how this key is selected.
- SHOULD NOT include a `prefer-encrypt` attribute.

To avoid leaking metadata about a third party in the clear, an `Autocrypt-Gossip` header SHOULD NOT be added outside an encrypted MIME part.

2.6.2 Updating Autocrypt Peer State from Key Gossip

An incoming message may contain one or more `Autocrypt-Gossip` headers in the encrypted payload. Each of these headers may update the Autocrypt peer state of the gossiped recipient identified by its `addr` value (referred to here as `gossip-addr`) in the following way:

1. If `gossip-addr` does not match any recipient in the mail’s `To` or `Cc` header, the update process terminates (i.e., header is ignored).
2. If `peers[gossip-addr].gossip_timestamp` is more recent than the message’s effective date, then the update process terminates.
3. Set `peers[gossip-addr].gossip_timestamp` to the message’s effective date.
4. Set `peers[gossip-addr].gossip_key` to the value of the `keydata` attribute.

3 Managing accounts controlled by the MUA

See *Accounts controlled by the MUA* (page 4) for a definition of the structure of information stored about the MUA’s own e-mail accounts.

3.1 Secret key generation and storage

The MUA SHOULD generate and store two RSA 3072-bit secret keys for the user, one for signing and self-certification, and the other for decrypting. An MUA with hardware constraints (e.g., one using an external crypto token) MAY choose to generate and store 2048-bit RSA secret keys instead. The MUA MUST be capable of assembling these keys into an OpenPGP certificate (RFC 4880 “Transferable Public Key”¹³) that indicates these capabilities.

3.1.1 Secret key protection at rest

The secret key material should be protected from access by other applications or co-tenants of the device at least as well as the passwords the MUA retains for the user’s IMAP or SMTP accounts.

The MUA MAY protect the secret key (and other sensitive data it has access to) with a password, but it SHOULD NOT require the user to enter the password each time they send or receive a mail. Since Autocrypt-enabled MUAs *sign all encrypted outgoing messages* (page 9), it could happen that the user has to enter the password very often, both for reading and sending mail. This introduces too much friction to become part of a routine daily workflow.

Note that password protection of the secret key carries with it a risk that the user might forget their password, which might result in catastrophic data loss. Unlike IMAP or SMTP credentials (which can be reset by the server operator given some sort of out-of-band confirmation), there is no recovery workflow possible for the loss of a password protecting a secret key. An MUA that chooses to offer password protection of the secret key (or other sensitive data) SHOULD support usable and secure backup/recovery workflows for the protected material.

Protection of the user’s keys (and other sensitive data) at rest is achieved more easily and securely with filesystem-based encryption and other forms of access control.

3.2 Handling Multiple Accounts and Aliases

An MUA that is capable of connecting to multiple e-mail accounts SHOULD have a separate and distinct Autocrypt `accounts[from-addr]` for each e-mail account with the address `from-addr`.

A multi-account MUA MAY maintain a single `peers` table that merges information from e-mail received across all accounts for the sake of implementation simplicity. While this results in some linkability between accounts (the effect of mails sent to one account can be observed by activity on the other account), it provides a more uniform and predictable user experience. Any linkability concerns introduced by Autocrypt can be mitigated by using a different MUA for each e-mail account.

Sometimes a user may be able to send and receive emails with multiple distinct e-mail addresses (“aliases”) via a single account. For the purposes of Autocrypt, the MUA SHOULD treat each specific alias as a distinct account.

3.3 Avoiding MUA Conflicts

If more than one Autocrypt-enabled MUA generates a key and then distributes it to communication peers, encrypted mail sent to the user is only readable by the MUA that sent the last message. This can lead to behavior that is unpredictable and confusing for the user.

See section *Helping Users get Started* (page 15) for guidance on how to detect and avoid such a situation.

3.4 Autocrypt Setup Message

To avoid “lock-in” of secret key material on a particular MUA, Autocrypt level 1 includes a way to “export” the user’s keys and her *prefer-encrypt state* (page 4) for other MUAs to pick up, asynchronously and with explicitly required user interaction.

¹³ <https://tools.ietf.org/html/rfc4880.html#section-11.1>

The mechanism available is a specially-formatted e-mail message called the Autocrypt Setup Message. An already-configured Autocrypt MUA can generate an Autocrypt Setup Message, and send it to itself. A not-yet-configured Autocrypt MUA (a new MUA in a multi-device case, or recovering from device failure or loss) can import the Autocrypt Setup Message and recover the ability to read existing messages.

An Autocrypt Setup Message is protected with a *Setup Code* (page 12).

3.4.1 Message Structure

The Autocrypt Setup Message itself is an e-mail message with a specific format. While the message structure is complex, it is designed to be easy to pack and unpack using common OpenPGP tools, both programmatically and manually.

- Both the To and From headers MUST be the address of the user account.
- The Autocrypt Setup Message MUST contain an `Autocrypt-Setup-Message: v1` header.
- The Autocrypt Setup Message MUST have a `multipart/mixed` structure, and it MUST have as first part a human-readable description about the purpose of the message (e.g. `text/plain` or `text/html` or `multipart/alternative`).
- The second mime part of the message MUST have `Content-Type application/autocrypt-setup`, and SHOULD have `Content-Disposition of attachment`. Its content consists of the user's ASCII-armored secret key, encrypted within an ASCII-armored OpenPGP symmetrically-encrypted message. Specifically, this means a block delimited with `-----BEGIN PGP MESSAGE-----` and `-----END PGP MESSAGE-----`, which contains two OpenPGP packets: a **Symmetric-Key Encrypted Session Key**¹⁴ followed by a **Symmetrically Encrypted Integrity Protected Data Packet**¹⁵.
- There MAY be text above or below the ASCII-armored encrypted data in the second MIME part, which MUST be ignored while processing. This allows implementations to optionally add another human-readable explanation.
- The encrypted payload MUST begin with an ASCII-armored **RFC 4880 Transferable Secret Key**¹⁶. All trailing data after the first ASCII-armor ending delimiter MUST be stripped before processing the secret key. The ASCII-armored secret key SHOULD have an `Autocrypt-Prefer-Encrypt` header that contains the current `accounts[addr].prefer_encrypt` setting.
- The symmetric encryption algorithm used MUST be AES-128. The passphrase MUST be the Setup Code (see below), used with **OpenPGP's salted+iterated S2K algorithm**¹⁷.

3.4.2 Setup Code

The Setup Code MUST be generated by the implementation itself using a **Cryptographically secure pseudorandom number generator (CSPRNG)**¹⁸, and presented directly to the user for safekeeping. It MUST NOT be included in the cleartext of the Autocrypt Setup Message, or otherwise transmitted over e-mail.

An Autocrypt Level 1 MUA MUST generate a Setup Code as UTF-8 string of 36 numeric characters, divided into nine blocks of four, separated by dashes. The dashes are part of the secret code and there are no spaces. This format holds about 119 bits of entropy. It is designed to be unambiguous, pronounceable, script-independent (chinese, cyrillic etc.), easily input on a mobile device and split into blocks that are easily kept in short term memory. For instance:

```
9503-1923-2307-
1980-7833-0983-
1998-7562-1111
```

¹⁴ <https://tools.ietf.org/html/rfc4880.html#section-5.3>

¹⁵ <https://tools.ietf.org/html/rfc4880.html#section-5.13>

¹⁶ <https://tools.ietf.org/html/rfc4880.html#section-11.2>

¹⁷ <https://tools.ietf.org/html/rfc4880.html#section-3.7.1.3>

¹⁸ https://en.wikipedia.org/wiki/Cryptographically_secure_pseudorandom_number_generator

An Autocrypt Setup Message that uses this structure for its Setup Code SHOULD include a `Passphrase-Format` header with value `numeric9x4` in the ASCII-armored data. This allows providing a specialized input form during decryption, with greatly improved usability.

As a further measure to improve usability, it is RECOMMENDED to reveal the first two digits of the first block in a `Passphrase-Begin` header, sacrificing about 7 bits of entropy. Those digits can be pre-filled during decryption, which reassures the user that they have the correct code before typing the full 36 digits. It also helps mitigate a possible type of phishing attack that asks the user to input their Setup Code.

The headers might look like this:

```
Passphrase-Format: numeric9x4
Passphrase-Begin: 95
```

If those digits are included in the headers, they may also be used in the descriptive text that is part of the Setup Message, to distinguish different messages.

3.4.3 Setup Message Creation

An Autocrypt MUA MUST NOT create an Autocrypt Setup Message without explicit user interaction. When the user takes this action for a specific account, the MUA:

- Generates a Setup Code.
- Optionally, displays the Setup Code to the user, prompts the user to write it down, and then hides it and asks the user to re-enter it before continuing. This minor annoyance is a recommended defense against worse annoyance: it ensures that the code was actually written down and the Autocrypt Setup Message is not rendered useless.
- Produces an ASCII-armored, minimized **OpenPGP Transferable Secret Key**¹⁹ out of the key associated with that account.
- Symmetrically encrypts the OpenPGP transferable secret key using the Setup Code as the passphrase.
- Composes a new self-addressed e-mail message that contains the payload as a MIME part with the appropriate Content-Type and other headers.
- Sends the generated e-mail message to its own account.
- Suggests to the user to either back up the message or to import it from another Autocrypt-capable MUA.

A Level 1 MUA MUST be able to create an Autocrypt Setup Message, to preserve users' ability to recover from disaster, and to choose to use a different Autocrypt-capable MUA in the future.

3.4.4 Setup Message Import

An Autocrypt-capable MUA SHOULD support the ability to find and import an Autocrypt Setup Message when the user has not yet configured Autocrypt (that is, when `accounts[addr].secret_key` is unset). An MUA in this state could look for such a message in several ways, including:

- If the user decides to enable Autocrypt for an account, and indicates to the MUA that an older MUA has already enabled Autocrypt on that account, the new MUA could ask the user to generate an Autocrypt Setup Message from the old MUA, and then wait (e.g., via **IMAP IDLE**²⁰) for such a message to arrive.
- The MUA could proactively scan the account's mailbox for a message that matches these characteristics, and it could alert the user if it discovers one.

When looking for an Autocrypt Setup Message, the MUA may encounter messages that look similar to what it expects, but are not well-formed. If the MUA discovers an e-mail message that has the `Autocrypt-Setup-Message` header but its value is not `v1`, the MUA SHOULD ignore this message entirely.

¹⁹ <https://tools.ietf.org/html/rfc4880.html#section-11.2>

²⁰ <https://tools.ietf.org/html/rfc2177.html>

When looking for an Autocrypt Setup Message, if the MUA discovers a message with the `Autocrypt-Setup-Message: v1` header with `To:` and `From:` headers matching an account controlled by the MUA, but the message's metadata and structure is not as expected, the MUA SHOULD alert the user that a malformed Setup Message has been found, and it SHOULD NOT offer to import the message.

If the MUA finds a good Autocrypt Setup Message, it should offer to import it to enable Autocrypt. If the user agrees to do so:

- The MUA prompts the user for their corresponding Setup Code. If there is a `Passphrase-Format` header in the outer OpenPGP armor and its value is `numeric9x4`, then the MUA MAY present a specialized input dialog assisting the user to enter a code in the format described above. If there is no `Passphrase-Format` header, or the value is unknown, then the MUA MUST provide a plain UTF-8 string text entry.
- The MUA should try decrypting the message with the supplied Setup Code. The Code serves both for decryption as well as authenticating the message. Extra care needs to be taken with some PGP implementations that the Setup Code is actually used for decryption. For example, [this is difficult to do correctly with GnuPG²¹](#).
- If it decrypts, then the MUA SHOULD update `accounts[addr]` according to the contents of the decrypted message, as discussed in *Accounts controlled by the MUA* (page 4).

See *Example Setup Message* (page 22).

Since Level 1 only recommends looking for a Setup Message when `accounts[addr].secret_key` is unset, some Level 1 MUAs might not look for or handle Setup Messages for an already-configured account at all. If two such MUAs share an account, and both MUAs have somehow enabled Autocrypt on it independently without discovery of a Setup Message, they will have different secret keys. This situation is bad because it may lead to intermittently unreadable mail on either or both MUAs.

These simple implementations can both keep Autocrypt enabled and avoid new unreadable mail if the user manually synchronizes secret keys. To do this, the user must first *destroy their local secret key* (page 15) on one MUA. Afterwards, that MUA can begin looking for a Setup Message again. A more sophisticated implementation may offer a more user-friendly way to detect this situation and resolve it.

4 User Interface

Ideally, Autocrypt users see very little UI. However, some UI is inevitable if we want users to be able to interoperate with existing, non-Autocrypt users.

4.1 Message Composition

If an MUA is willing to compose encrypted mail, it SHOULD include some UI mechanism at message composition time for the user to choose between encrypted message or cleartext. This may be as simple as a single checkbox.

If the Autocrypt recommendation is `disable` for a given message, the MUA MAY choose to avoid exposing this UI during message composition at all.

If the Autocrypt recommendation is either `available` or `encrypt`, the MUA SHOULD expose this UI with the *recommended default* (page 7) during message composition to allow the user to make a different decision.

If the Autocrypt recommendation is `discourage`, then the MUA SHOULD expose the UI in an unactive state. But if the user chooses to activate it (e.g., clicking on the checkbox), then the UI should display a warning to the user and ask them to confirm the choice to encrypt.

²¹ <https://dev.gnupg.org/T3277>

4.2 Account Preferences

Level 1 MUAs SHOULD allow the user to disable Autocrypt completely for each account they control (that is, to set `accounts[addr].enabled` to `false`). For level 1, we expect most MUAs to have Autocrypt disabled by default. See *Disabling Autocrypt* (page 15) for more details.

4.3 Helping Users get Started

This section provides recommendations for MUA implementations to help users start Autocrypt immediately after an account (with the address `addr`) was set up.

The MUA SHOULD scan the mailbox for messages sent by the user (wherever the messages might be) that show evidence of OpenPGP or Autocrypt usage. It is likely sufficient to only scan the messages sent during the last 30 days, as it is unlikely that the user used Autocrypt or OpenPGP actively if no such message was sent in the recent past.

From the set of all found sent messages, the MUA should determine the best action to take from the following list of choices. Earlier choices are better than later ones.

1. If an Autocrypt Setup Message was found:
 - Start a setup process suggesting the user to import the setup message. If multiple Autocrypt Setup Messages are found, the most recent message should be preferred.
2. If a sent message with an Autocrypt header was found:
 - Provide guidance for creating an Autocrypt Setup Message on the MUA that created the message.
3. If there is evidence of actively used OpenPGP software (for example if a secret key is available, some specific software is installed, etc.) or if encrypted mails are found:
 - Inform the user about Autocrypt on <https://autocrypt.org/pgp-users>.
4. If no evidence for Autocrypt was found:
 - Create a key with default settings and without a password in the background. Set your `accounts[addr].prefer_encrypt` to `nopreference` and start sending Autocrypt headers.

4.4 Disabling Autocrypt

Once Autocrypt is enabled for a given account (`accounts[addr].enabled` is set to `true`), the user might choose to disable it. By default, disabling should only set `accounts[addr].enabled` to `false`, and it SHOULD NOT destroy `accounts[addr].secret_key`. This preserves the user's ability to read old encrypted e-mails, as well as being able to read encrypted e-mails that arrive after the user has disabled Autocrypt.

The act of re-enabling Autocrypt after it was disabled SHOULD leave `accounts[addr].secret_key` and `accounts[addr].public_key` intact, so that the user continues using the same key.

4.5 Destroying Secret Key Material

When disabling Autocrypt for an account, a Level 1 MUA MAY offer the user an opportunity to also destroy the secret key material for that account. Since Autocrypt clients generally do not discuss secret keys with users, a MUA offering this choice should use a phrase like “destroy access to encrypted messages”, rather than referring to “keys” or “key material”.

A MUA that allows the user this opportunity SHOULD clearly indicate to the user that the destruction of this secret key material will leave them unable to read any new messages that arrive encrypted. A MUA that only retains the encrypted form of archived messages SHOULD also indicate to the user that previously-received encrypted messages will become unreadable as well. Note that for some users, this is a desirable feature: “destroy all messages” is an appropriate action to take in some circumstances.

If the user selects this option, the MUA MUST clear both `accounts[addr].secret_key` and `accounts[addr].public_key`.

5 Appendix

5.1 E-mail Address Canonicalization

To keep consistent state referring to different but practically equivalent writings of an e-mail address, a MUA SHOULD canonicalize e-mail addresses when comparing them (for example for using an e-mail address as an index key).

Canonicalizing the domain part (the part after the @): A MUA SHOULD canonicalize the domain part using **IDNA2008 Punycode conversion to ASCII**²².

Canonicalizing the local part (the part before the @): Autocrypt-capable MUAs that encounter a peer's e-mail address where the local part appears to be valid UTF-8 SHOULD canonicalize the local part by making it all lower-case using the “empty” locale (see **W3C's discussion on Case folding**²³ for more details).

SMTP specifications²⁴ say the local part is technically domain-specific, and byte-for-byte arbitrarily sensitive. In practice, nearly every e-mail domain treats the local part of the address as a case-insensitive string. That is, while it is permitted by the standards, `John@example.org` is very unlikely to deliver to a different mailbox than `john@example.org`.

An Autocrypt-capable MUA that is configured to use an account that has an e-mail address whose local part is not a valid UTF-8 string, or who cannot receive mail at the canonicalized form of their associated address SHOULD NOT enable Autocrypt on that e-mail account without an additional warning to the user.

Other canonicalization efforts are considered for later specification versions.

5.2 Example Autocrypt headers

Alice sends Bob a simple, unencrypted e-mail message that lets Bob write back encrypted if Bob is using an Autocrypt-enabled MUA:

```
Delivered-To: <bob@autocrypt.example>
From: Alice <alice@autocrypt.example>
To: Bob <bob@autocrypt.example>
Subject: an Autocrypt header example using RSA 3072 key
Autocrypt: addr=alice@autocrypt.example; prefer-encrypt=mutual; keydata=
mQGNBFn+zzUBDADBo2D+WUbm3lN1lXtQTxLhxVADIIMLKldFUgu5w1KAMrW0x9x27cRNxzVrTfiv
2FiwThUHZmJBFai8HtsMvn/svrCPeGPvkjTDMCWZaEEc5/g5lUyszjff6fUsGXsC9tUcva6pGHaTe
8Iwpz5stKjRKI3U/mPdQpXmaurwzEdvlNWNi9Ao2rwWV+BK3J/98gBRFT8W6gv+T/YGXVrqXMoMM
KLTfze2uy00ExJkhI64upJzD0HUBGjElYdeSWz7lYhQ2y5cmnWPfrnOxiOCVyKrgBulksda5SIjE
qCJCvYprX/Wvh5feRXYftWVQUMeo6moNOhTM9X+zQJPWWuWivOJpamIuUCziEycX8RtRo0yAOPwc
/vIppoxAMusQCVn15YwVECngzXUi3EB72wXJ4411VfzPCS1gVNzV7Yqx1lW4PMRCfB2obl025rk3
GDlmqEVcG1Hh4FtEBkmwVjiv4duN0E33r2Yf8OsFAkKnRCR1lYn8409DaJGou41hEV+LAsUAEQEA
AbQyYTF1YmQ2OGQtOGM3Ny00NWI4LWIwMzMtOGNhYzNmN2QyMDZkQGf1dG9jcnlwdC5vcmeJAc4E
EwEIAHgWIQTmBGjORnd8P86f0HJx28V1f951pwUCWf7PNQIbAwULCQgHAgyVCAkKcWIEFgIDAQIe
AQIXgAAKCRBx28V1f951p3C/C/9tthB5Q6oyyJERPZmRY3V8n60wd0h35uLqQfcb51UYKZ3j+61n
ckz2iB9LrRxY9Q31WozMqza+Jze4/g/VYHLLS7Zg0M3pLKzbSEyDvZVT523BVFscQwjkq679JGZ/
xPzJOPabludXFfSkPEfNvzKgK+x0a4Q8b03SemL5mmGPBrnuCza/nFhevUrQbbtuUzhBnMFBsPKvz
WUTKHEgIDLqz+8auPOQZSbF2D/1BEvtbobdQgi+yJLaJ77/pURR1kp7su5lIfftTs0qgMMJh8jwQY
lMQMhozy43eqT1y9QE+DH9RBAypcRCmTcBE5Z8apnWpH/axfCDjboWwD62gN0dawc7WEQ+rdgu8W
Tocoo4A6iyCk6Xs59mOGE0gsCdZvzKruJOYqvERzeDibDc3hXDj0E82okBjQhsOVCK3a7uyAIZnc
z9Kovi0CkQ9d3EuG8297HSf1/PupsiFgHBsJzmZ549+ZHLXlZ5ss4aj9Hpe7bCk8oUUL+A61+nNY
VsVDSO25AY0Ewf7PNQEMANI3/DkEjghl0SgsbzqHaUAohh+GSMXUD7dQn28ZGxR/2Y5wu705MdkP
```

(continues on next page)

²² <https://tools.ietf.org/html/rfc5891.html#section-4.4>

²³ https://www.w3.org/International/wiki/Case_folding

²⁴ <https://tools.ietf.org/html/rfc5321.html#section-2.3.11>

(continued from previous page)

```

MKIrsyQowSeGn18rnM1PxnRGOx+QnVZTdk73VeMID6nM1Ttfv5gmkjcb6NphGPeOTZyJIBjgQxE
z2LUbhFLseRS/6COF5q6Tj+TJFSPbDs5kVm8LqAra2vdvdpXV69WP2FfzWHIKTzxEwnDKc3rp7yE
I52qz8xMTCO+IkBic9rwdj7TqJxMOTZQdfpY/ltiGwg3lCGYaHuejJzDQ1U/X6OCEq/WT7/UVqNw
ZkrsT4uG9BFGW+WOXuOpgA4v0YQ62XQAotVNXUY10XFrSb6DTr6vYjd0Lk/z7icAX5uzjlfJN3TV
qJxS0pDwtfYD52B936+mizGR+97uyqEBVNQKw1pvKdZDruiR4300k63TMO/4cAhXfw7q91/RMGg
TJX2UC/BGMiePziboP+GHX87hRmAvFCRjQc0KFyxJGbnKID3Kn/RhUrePCAVWI341SQ0Do5qLlRn
9QARAQABiQG2BBgBCAAgFiEE5gRozkTXfd/On9BycdvFZX/eZacFAln+zzUCGwwACgkQcdvFZX/e
ZaeaIwv/WR2LYKlPXe/1sMKfh+iSYeJjvqx15i40aLumont+btZmpyYDU8sOaMB12oBgQ3sNYaQp
fkTk/QNw3lbuiROpJeANQzC7Ck+j3SDBFoMXYqxmzH0P1qvT90VOB061P1aHg7usuU4+MuvLKrg
vaLtzK4xuiHIzpkTCvtcyNmiS5Qi2guPV32UQ6HccSIEaZO5w+z6a/V0JZ191VwOnOatUp4DsDHo
4KfcUKpNUKoUGgOhLP7DmsqdlNqoKcW4PxnSsg7H5imHKF1Xo/8nh0G5W15kpJendi1L2Gy/yES
jN9i1kKSqL4X+R4PkT9foAootoK3TrLbcyHuxFj5umcUuqqGfsvjhGc/ZIyvvoRf4X0Bnn1h9hpo
6ZvBoPDM5lJxtUL64Zx5HXLd6CQXGfZfZVeM+ODqQyITGQT+p7uMDiZF42DKiTyJjJHABgiV+Jl6
IM4woaGfCwAU+0Vg+JDuf7Ec8iKx5UNDI18PJTtZGVp65Gvz2Mq/CHT/peFNHNqW
Date: Tue, 07 Nov 2017 14:53:50 +0100
Message-ID: <rsa-3072@autocrypt.example>
MIME-Version: 1.0
Content-Type: text/plain

This is an example e-mail with Autocrypt header and RSA 3072 key
as defined in Level 1.

```

5.3 Example Autocrypt Gossip headers

After having received messages with Autocrypt headers from both Bob and Carol, Alice sends an e-mail to the two of them, with Autocrypt Gossip headers.

```

Delivered-To: <bob@autocrypt.example>
From: Alice <alice@autocrypt.example>
To: Bob <bob@autocrypt.example>, Carol <carol@autocrypt.example>
Subject: an Autocrypt Gossip header example
Autocrypt: addr=alice@autocrypt.example; prefer-encrypt=mutual; keydata=
mQGNBFn+zzUBDADBo2D+WUbm3lN1lXtQTxLhxVADIIMLK1dFUgu5w1KAMrW0x9x27cRNxzVrTfiv
2FiwThUHZmJBFai8HtsMvn/svrCPEgPvkjTDMCWZaEEc5/g51Uyszjf6fUsGXsC9tUcva6pGHaTe
8Iwpz5stKjRKI3U/mPdQpXmaurwzEdvlnWNni9Ao2rwwV+BK3J/98gBRFT8W6gv+T/YGXVrqXMoMM
KLTFz2uy00ExJkhI64upJzD0HUbGjElYdeSWz7lYhQ2y5cmnWPfrnOxiOCVYKrgBulksda5SIjE
qCJCvYprX/Vwh5feRXYftWVQUmeo6moNoHTM9X+qZJPWWuWivOJpamIuUCziEycX8RtRo0yAOPwc
/vIppoxAMusQCVn15YwVECngzXUi3EB72wXJ4411VfzPCSlgVNZV7Yqx1lW4PMRcFB2obl025rK3
GDlmqEvcG1Hh4FtEBkmvJiv4duN0E33r2Yf8OsFakKnRCr1lYn8409DaJGou41hEV+LasUAEQEA
AbQyYTF1YmQ2OGQtOGM3Ny00NWI4LWIwMzMTogNHzYnmN2QyMDzkQGF1dG9jcnlwdC5vcmeJAc4E
EwEiADgWIQTmBGjORnd8P86f0HJx28VlF95lpwUCwf7PNQIbAwULCQgHAgYVCAkKCwIEFgIDAQIE
AQIXgAAKCRBx28VlF95lp3C/C/9tthB5Q6oyyJERPZmRY3V8n60wd0h35uLqQfcb51UYKZ3j+61n
ckz2iB9LrRxY9Q31WozMqza+Jze4/g/VYHLLS7Zg0M3pLKzbSEyDvZVT523BVFscQWjkq679JGZ/
xPzJOPabludXfSKPEfNvzKqK+x0a4Q8b03SemL5mmGPBrnuCza/nFhevUrQbbtuUzhBnMFBsPKvz
WUTKHEgIDLqz+8auPOQZSbf2D/1BEvtbobdgQi+YJLaj77/pURR1kp7su51lffTs0qgMMJh8jwQY
lMQMhozy43eqT1y9QE+DH9RBAypcRCmTcBE5Z8apnWpH/axfCDjboWwd62gN0dawc7WEQ+rdgu8W
Tocoo4A6iyCk6Xs59mOGE0gsCdZvzKruJOYqverzeDibDc3hXDjOE82okBjQhsOVCK3a7uyAIznc
z9Kovi0CkQ9d3EuG8297HSf1/PupsiFgHBSJzmZ549+ZHLX1Z5ss4aj9Hpe7bCk8oUUL+A61+nNY
VsVDSO25AY0Ewf7PNQEMANI3/DkEjghl0SgsbzqHaUAohh+GSMXUD7dQn28ZGxR/2Y5wu705MdkP
MKIrsyQowSeGn18rnM1PxnRGOx+QnVZTdk73VeMID6nM1Ttfv5gmkjcb6NphGPeOTZyJIBjgQxE
z2LUbhFLseRS/6COF5q6Tj+TJFSPbDs5kVm8LqAra2vdvdpXV69WP2FfzWHIKTzxEwnDKc3rp7yE
I52qz8xMTCO+IkBic9rwdj7TqJxMOTZQdfpY/ltiGwg3lCGYaHuejJzDQ1U/X6OCEq/WT7/UVqNw
ZkrsT4uG9BFGW+WOXuOpgA4v0YQ62XQAotVNXUY10XFrSb6DTr6vYjd0Lk/z7icAX5uzjlfJN3TV
qJxS0pDwtfYD52B936+mizGR+97uyqEBVNQKw1pvKdZDruiR4300k63TMO/4cAhXfw7q91/RMGg
TJX2UC/BGMiePziboP+GHX87hRmAvFCRjQc0KFyxJGbnKID3Kn/RhUrePCAVWI341SQ0Do5qLlRn
9QARAQABiQG2BBgBCAAgFiEE5gRozkTXfd/On9BycdvFZX/eZacFAln+zzUCGwwACgkQcdvFZX/e
ZaeaIwv/WR2LYKlPXe/1sMKfh+iSYeJjvqx15i40aLumont+btZmpyYDU8sOaMB12oBgQ3sNYaQp
fkTk/QNw3lbuiROpJeANQzC7Ck+j3SDBFoMXYqxmzH0P1qvT90VOB061P1aHg7usuU4+MuvLKrg
vaLtzK4xuiHIzpkTCvtcyNmiS5Qi2guPV32UQ6HccSIEaZO5w+z6a/V0JZ191VwOnOatUp4DsDHo

```

(continues on next page)

```

4KfcUKpNUKouGgkOhLP7DmsqdlNqoKCw4PxnSsg7H5imHKF1Xo/8nh0G5Wl5kpJendiI1ZGy/yES
jN9i1kKSqL4X+R4PkT9foAootoK3TrLbcyHuxFj5umcUuqqGfsvjhgC/ZIyvvoRf4X0Bnn1h9hpo
6ZvBoPDM5lJxtUL64Zx5HXLd6CQXGfZfZVeM+ODqQyITGQT+p7uMDiZF42DKiTyJjJHABgiV+Jl6
IM4woaGfCwAU+0Vg+JDuf7Ec8iKx5UNDI18PJTtZGVp65Gvz2Mq/CHT/peFNHNqW
Date: Tue, 07 Nov 2017 14:56:25 +0100
Message-ID: <gossip-example@autocrypt.example>
MIME-Version: 1.0
Content-Type: multipart/encrypted;
  protocol="application/pgp-encrypted";
  boundary="PLdq3hBodDceBdiavo4rbQeh0u8JfdUHL"

--PLdq3hBodDceBdiavo4rbQeh0u8JfdUHL
Content-Type: application/pgp-encrypted
Content-Description: PGP/MIME version identification

Version: 1

--PLdq3hBodDceBdiavo4rbQeh0u8JfdUHL
Content-Type: application/octet-stream; name="encrypted.asc"
Content-Description: OpenPGP encrypted message
Content-Disposition: inline; filename="encrypted.asc"

-----BEGIN PGP MESSAGE-----

hQGMAypihPateFlyAQv+Mnd0eKclm2/+RU4Qp3zmbQ3+5mHE7p3ZLiwnN7Xk7NXC
rqTEHpAQuDEYiXhs4tvmuDH7t+OG1kOPDfg66Cz1cLCwGrLI4AVC6Y5rBze1Ejo6
z3oFto3dmA4F1NTT8I8K6DYEFzmlkuamKcsVTITagkVfX084w1NL1BYJbKnYkLbyt
Nfa6xFunYkvUCD8+ymbWzupMwhFJt2EicFTTIHklRSu2K+wC1ULx0hSluU+kMLWY
GW4DsMv1+TI8jQJNCi1MetjVwDrBSinKHbzj2bshhLFAQMPBLtRnu7QU+HmjDXrr
QrPgsW64veZe7hxChaqvQ3BAY9EML8+5KfR69AVHvkW5q+m20PPpKrkjKhe7w4xj9
avJjSv8dmnNK0NPYdgVL0NjyB6cjWFPq9f7ZjvUw1QIj3wuZS9msSt/8vU91+kq4
HOWLu/cME10r6X9osQjo4XesjJVJTF35/XraSts5EE/R7VTOmqP/Nw5Y/VO9E1g
kl2nXAnEXVyIY/lv0B1ghQGMA1T/aSXWYfnUAQv8DjK2YiuZa2Ky8NBmoxXp2ZHe
HIuSgXp8Efv0FMjCKa3tFR9m1a1/e2DkCe/37VW/5kzBhBvUjXLDZ+tkiijw8cy
Gi9v1WinZdaAKyua05BU91cGd3YX2JeBvMsQqAPytlBQPMtdyYzQsU0hHqbpKJ
nNcrdfS3wX5qJg2DjtRpurjHiNvfLuWmiZz1ZvovXKB/WcpbjERU3XP7Px3sFMIb
8gM8YeZoFG1GUAs8XFW1JjpNDMYX7CyG/wQGQHmNm64P6sNELN+2R6omV0xvalHx
hHXfoYOnjs3AQ16xJoo42s4q+6Fc2PcCst8OsMO/ZZrPtEILNTG0RXId4ZF19Jwc
rF/7xP0Bu3Wamtnx056IaXGpvy2vRieaexmrWIT6Vy79qq+86G2OqV6oOfZX9FU
bG2YJ77s/S4GveLuHTE/F5LqP/TShBLGxdpKFHoCES0HmvbJ2iXgmB6Xw1rfbZQu
oOe3R919KoymHRdUsQ33b55cv21rWQt/z5cv82FFhQGMA4BmeZ3vRabVAQwArIzC
JJvNYTPxX7wz/5IsOryKaYz/IL03hBbdar6ZlCdJ9J9en2vriaxYn4Z7Yl+N+a1Z
i9ddTHCjPvV09X6M1LLHXHFn6hpnEn3Tafz2/pSpJYE38E8r8h6036Fkljq+C4fj
dyTdcOVIdkbzlcGyRYQ4ysDlrSNRkLbcj7EJ3lHZ3peA+YgCI0EwDPPUKXEfp96S
xUpSHlxPlZ6V126/NS1o/j+d5VAQivCg9+J2oeIT9jM1uGfgur3p2SmES0oFSQJM
eAcY1qLZimlORc0lHRiXkX4bHO0C99W8qRy+Pj5EIVgI500FjsljlG6WbKMMab9
odP/nULfxyEaTA+qO6eZYXy/rHFVMTPr7SCR2LGfamptrTA6rfVA5uUrjUOtTTNg
cpgWL5me7asAoy/vz+wDbjDsCI1pJ8M6r0PctusamMA+/QW8OBbnXnwhFm/SSNeJ
MfS+xcaKUu00M7JEyFLSE1at3Kp784ToCxcgF1SE7D5cD2LDkN2P4g9+K3G1i0uwB
8VSq9pccsynDG/vozmtjGvLLhIoUBPqU03+zVq54osVmhsIS68evdTeDt2lYZiBjG
Ro4cmuqmTPJZF0zdCmzXbJsLiUDbJG1R8L+sn9Q5/FM3R5PTW38g14y+atS++7Wj
F95QrEAaPckLrCVVpT6AR6wGr4QjNehnb9Ykt2AcRZ/TcNqkT+P0QadNoJrkMgld
zuyxpq0NBjku7ZvIbRSntDq3bdFpR76wCXPjnbjYyDtrX50aBE2MNwMgRPRkhhE
E67SEKODkNEzhx3IZP+xy5iQsAXnQKupLcKQ37vn2bLmd7YEAQvm3yvSWlwlETnG
eP+R3SktF8aZmmdwJnafQZDhWAaeXfhha7wspWNkPKvWtG9gCHyJbA5uKqC+oK+4
U31+rwwyjlE3V3JghC8MK/0md467WYiK7UOmEGAV0A+T8Ud0d23Qk1mBROTsfTnWTW
iP46TazPlyPe3T8XSk7pzb2zvrUM01WTktqSSnOL4pvvlKybtZMssKvRuwixZIjo
bXvLvU8i/X4dRRIm6kvGF+AQ4xBCBhswUUsFb+T3Ljkrbi34pUEGeP+rIjj/DWi+
ubtNlhjcnMXfDs6Ropo6IsgihKTr7Idbuixk98sxmRwrfhfk2BPWEU360Z1znDFe
4rwrzJWLRic3Vf9I29o7CI0dwvg1sdUqQRvY4gumiMHOFcm5Vic+DEwq4HWEYuV7
r5sSs7j3WsuWvCUHEtvFve4HeluhhvX9fjpHL8NyQeUFN1z26e08KN+fmBHRUubv6

```

3fLYPw2lhxW/2usilmLa52COi7XQaOuFdZzSI00N74ocSXf6UzLiQDeE89SZ573P
Pka6LiPTi6KrqAZzHC4IjmInPvr6SmxZ78g1Kshz/KUFCZPxu9frOn6uhatUb9bS
SmFIuFoH+DLNQt19Ex/7iyTce7PJiPVAiikqssDV43TwqsS25ncQ+ZPQIwrJyQL9
SRYUIdZs6JQLvr15ulqXJslUPMJFauGxoyJWn9PoOqC6Lbh6Rf0kyezDa8DBaOL5
mL7WNbm7zOHleuAwYCWKGu4oZzO2HivJyZjRwo8LqCsQgt2hfMzajq5VFYjNFoWT
9CFmsX2nLQnJHmUrU3QIRqe/4HJrGGi3t+75aGZdehG+bfJQNMAa21uiu3V7r61s
gE0ocrq34SuiIYN54sDW7BZsQYtgwJNEGUDFTQIjYoqC7GoG041H4U8NfdrQG8CL
tRE23v0HDUtFPq78nnLP4VooVttby0jcAMf7v6EPx7uCOmBAa5hkBOgEoW/zguEm
EB7Qqo8PmfFvE3hqDRaDVag2Yre9A9xXYxfmfCokBUk41yoW8hFUzMjphOuiV/S
mPmK7Ztal544VPBVuJAcelQZ5cmfL0oprMJZdljTltXYZxnszAwCgRY8LBZC3tUT
lMhXLRUCsHsGvLQDZYaCCz3dVwCyNH61N2vDN6CCU6LHTjgKCs0j0RfWjggGLH4gV
BfSftlDYhd3bE8oLgqKkJTAwq8zcbU0xWuuBUJdWV3aGZ/nfc11ifxmOe4HQ2tXR
tsFThrgOrtoaqfoTkUZxOpdpCya03d9nS/sahBtbw9vgaTKZVhBquvYV62V2R4dj
oLHlYrvERwfvTheCqmmiNMfdfsfxj+7qOlgFV9iDVGkkg/HfoqTqltsBpcXYmf9VX
WN0x72/I7vJc9EV1K7411M+3KR+5/ikOK8/9ZFS0T4CDdlhPfdPxB2Vp5wu+Brl2
AubRHM6c3LYgeqTtjKZuIW8SjPLwW9RDXgN3tFh7faHRB2v/z7VBWSZ834ZrFPoZ
6lv523AEzyxkcLoyEDK8K1GBaKfYUaj0DUi3fnWYzF06VfcVpjkxftz0e010HV+n
Tt/GWaQVrwiUv8DPKaIwMKmhQnqSEtX3+BoxzE7UVJKNpK082Ebf6bnpP+A9qXbE
ie2tjssJ5UM29Tkt3AgOZGJf85u7xvdqX+tUxLtk8ArL3mc8arWba4GzaBHFqfFW
bq13FMk8FOQxIRUo3eItmOSLrKmyx51+31bcyzJp7e5BeCeq7fighwvX8dDrzLy
oR9oTH1EVT3cbzsqCVx9U09zuO/eY3Girja6EBQJvs6Kd1tZ6LUx1fbKymQyJ+D
uKdZNN82d6VPSwlapJvgvAmeFyM04uDyGGO2IT1FUBzVqFNq5h79EMFSglNDiILx
KIOEXxcLuD+TWAngKbbZvY50qUh7fyNH2r0ic+D8X9nC0chCcVXe8vPV7Fjp2Uwh
Kjqx9c0WDMkegqK54pcaU50KgQpqiGrfeMv+ALepDMwFJOpty85pK+nLHJi2gEqx
NbVwAPkcpj7jv0elKOGN5rDa7038nmlsIiDrDT84otK08KKaxtrMPC7nRrdODSZH
NK+0tjmt7e0PtqH8D0i6BIZvBq4gH1kcOoPmECFMF/NdpCYLt1OPCCTtotKxUWL/
EZ8ZnwXqkMebJrbWf14b+fcBU40tlpkzH8uHpcDtNG4j4/uy01+MzvPsYNNbJJbc
0Qogy2T2Ls7YInwcuNrYDvUECRNV4LjefCOHKiI/f/54ViJCDtDlnwRIhg5GFKoz
SE+MLpP9X+hfnA0BkaAf10XmfKNms2RoI90nnAw830pb4o2cjAWGjhfyJpr3PGlo
zrk8fZ0gBz4o0z4bEu3SHntYPyNaLR1bJY8Jx3FUm2N+jlpt2yKf6J055PJgvbA+
33MXJFPLcLj1x3Bhw6MFpC/F0E1UaIKpDdVYUWaoosb1NKse7wJIMvxwEhidxoK
B0+d1M8uY6HgS6vCP3URL4YUW6yuHXRIq3d708d9iITSXeH4RgraUvReC3sNv6i
ScrZx1uNt7Em9WHMVInRWWwf77smEgvw027/5LLrdeve943MudVREYPJYeMCeMul
UQpHCZa2+RPqY7LEzP2k1ge75uzCjPDAtqv11Ro3NnXtZ8CxxHwacoH1hV3Zbi7
PmI2/VlwrJ8gZewuLXShaIDUHsXypFoGig6jIaU6WPYKGFHmtKmTEFpFopPz10yY
kvH4KbWXcw2mCMElet3tgAiVE4mgeJmULwe0UjfiBFzJuzth9dVKj48I7YFGXpM7
uevgFrh/Z1/y70sbajDza3ZDOLt+qEAMRActPmuS9i4lafG2sLw9MXvHELta2NZ1
eN/vx0hQeJfGAZMGKJeaV5GpMoEGKRNr2sk5ghv27y9trIqH6FraYFF/qTtQBQ+9
xGTtaLCVCPfPYahfFDSZ2kd4gsMlKHTQB2XNB4h9p4eQn3ijNb3kdisK8sxp932
ArLUe9C2kdvega+zub9M6wbibYir+1653ojiDDr5130ZdShDS0VncqeyPZb9XPr4
jGzc8zWvp/z8kgTZXLonwteBc8MJ4jSZcd6CEqLkMuOsFQqA3lZiFvyZmq6rfmm0
Yt/yoP8EaOrh19du9JqPffFh6+UNUGaf2+OL5kmU53bQk1DaQ79XRWP0FINVzrs1
ulz5Zw3tInTo/rkYDYGPWOXkww9PPnDN9J5yxmepfVxac86LVmMy5iK9gavjWAB
owk2pB2zm9ETu0Ac/piKmNiccjIcxZPy1Jptx1siZpGPNVU3v57KVBsN1pIuevQj
Q2uY60Ue7118y5CwIqM7sid6vplfSZqqR480Y4ZPt5qtpA18pHan4RnqbEkCr9Di
vgZ+vTe8/v7n10NSAJHAbz4YME2JDbVDDZRSseq1kpIBlwXplPbGnpPjsTJu8y
+9+KLlV3dAHM9Hxhffs4qx8seJhcVZd9WyDBG13HH06Y2rLcbhyD4DEcVlUOXieN
tzwGF4RxmICDDGLJDYoZ+4FAi0wADVuzLPXtbfS1w3jVtaMIk8A5rhwOGU01ePiL
NcaLhiAM6JLDEV/1ykVuMvXQEVSV5vT3MovOWl/v3R9ve6+beGYzptJ/15oSooy
IK08XK1YyYnGDMEEnNOYfobCmw+/ctNPwdM5ioWskzUx6ku34G74049gtRccHnYa
uU715VvdDfRwrsrhNyMpVK9IAcamzigskP/SXGzxDCK/jvN/3mc2X9U00JqhewdG
TgajsJr7AFwvj0yX1GsY9SvnaBosQqnvdd0dpvVvQXsLwXHCsngI/3XwFt15c3u
otHFMziJSmO+JczT5YfoQf7ZYst9Kb62G3MaSF0ymPaSpplYiDHZH1rVEQdx/+Tx
u+vKA/1SGxLvxcrdIinwLAcDRXAw7XNDmiYaOgOP6dRXF+4U1ysCS78WvvdfmMvB
PFoSPoozKX6YbIUldrYBu+zQXIgAEUfecGwpqATWS7vXw29bLmvtLDh/rT72KsK
rRXBnLZenyDrJn0ra7relgWCwm8oZhOeashZ+vOZCQOz1R5hOG/A0EVwNAYEm3Kz
VKkKBjGrA3pmA9n4eLQFI4BVAPYQ5Wu+dWDBNu12HVGMAi1IGrBYKh3VGTywpdYX
EhN/6BrTDcKnq2Fgvih77Ileelp2RP+8ggdS65kdDIFpYSSe0ticjL/58wwJXk11
yOOP66h60cG9i5rWOMl7m4KqhnGA8Nzivm38ItDTHPaUKYXsbcXF2d01CzY8MIIG
VoIALICwX1J91n6MEEn2dxIsCYECzJ1GfHoKOMRueT0XkIBU1zRfGnS9Qyq7yBY02
j1/v/H8b6tf5oSa/uFblqcq9K4WjOSAH/vQaDmZpHx3xaUg2v2r0mepRVN3HAJVM

(continued from previous page)

```
vFaFanOJeadCkFzblBrFRd01/n3eStm9Gjiz6YW+ubPkfE2VU5zLyixkbg+LHUQs
X1rtdn6Kk5mgEC09fgtpCR6bdWgpRWV3AVShTktvY++EdMK6cWw9lawag5LRX4C2
x5R4tB9nuSYOowwWaKYZDQNmWTTklfGp4xoIOUeTDAPQm+yJR+1wLazHfTavVE89
Z3eEWJQKJUgeKe/bWzpfmwm6x7Zkx1OgHHQa6I3lqemNNwXRJxUGxFTThkiFv5k1B
2hVIz+a8bAC/2KZlHtF6gPgVV74SiG2DtCsJHv/MRFgUpPt4azoXGI15CvPqRG6Z
yr0ogGX1KlwNyGmuQUk3tDuypoBnurW0w5pVcH3p8DX1ToUvYdClhAgMXZVVPDeH
+GNA8gk1wLn3uVQzHqUfJp/ZANmbtu89/kInq3FVbFQf120ZmfavhwqLHoNT08eU
CmhK8XV1P1BaMBZcMPLDC7dSF4mYsCkz3apDhrVAcWxJ2K06wV4awj8I8c7B2Fmw
huM0JZ6yfbUTN/GcJs/NVXRA7HW/PuRktRB35Afp1C9w/L1DKNAA00stpIG3oSL
xeIfgswUXWYkKsmoKg4wFtYLBfohhVfLsJMzQ4KYcYVN/yW09BwVvvljt1Y7a5Tm
j8Rth1RAHmCPLS8A1G+Nhw2DqMWzD4PNGKZw3ymrX63f96ay9aHZtTkKkrA809y1
7aHWVrojj0/03p7boIDjx3hReACEgxiembS3EgCw4MDB54+WcGRN7nsXJ3q/YA jH
iOmmaOjMNWZekp421tKTW0OCS4NbeZlcyb9Z5R4HSH3+V1LdrZW76aafTXN8nU5u
lsYXjzF7wSJurITquBoDxbdbU/toHt4VQ4Q3RcMb5HKVNS0TzeHnXibCGuJwJXK6
4rMh6nwQtEKPYyGxEG000jckjXuwRecF24K50maTwJf2s4Qsbjxu0XOUzCnSyk
Zse2TvX61sfjdJxLXZ2ouHZWYHPSoHaNX/CNrik5L1L6XR52C5fCNY7FB7Krdlew1
5p31D4iRoJU7x2jAbgiI9ALZGvw+4qdxXY4ifb94gpXNrn08M0s/MQn+q3sp6Pw
uARQ69T+4TIndTG5G6I5IMmK47+p/PqzW+kCX+T7mmDw/KKz10uKkxogifGU+mJb
4BVLtBj/V2Hqyfjof9rbE8kZZpOwMf8I/1M29211Qmz7iLHwf0x50gX+fZIUks/
i09gfWyp+y3WtpNXtg1F5m2FtRRfUqK01f05I1CVIOfo6Yt8UPJZ4KFROBn2Z9f
vA2yxe6xEar3XJrDDrinz30dSEzJ9IYU9bMxZowVwo+QtiJutkWJCOiX7btjBNT
EKjmyg==
=69xN
-----END PGP MESSAGE-----
--PLdq3hBodDceBdiavo4rbQeh0u8JfdUHL--
```

Since Alice encrypts messages to herself, the above message can be decrypted by her private key as well (see the [Example Setup Message](#) (page 22) for access to her private key)

When decrypted, the encrypted part contains:

```
Autocrypt-Gossip: addr=bob@autocrypt.example; keydata=
mQGNBFoBt74BDAC8AMs jPY17kxodbfmHah38ZQipY0yfu097WUBs2jeiFYlQdunPANi5VMgbAX+H
Qb8LBKkoUomJqronj1EXz5ILEhc/rs1bJjdmCE8cw9X+EN6Pw1y9XNx1ohR10GKjs9cVW87uPmz/
TkIslmfzVB6wjmI1l8ax/Kb3IKr6wQXUT+JvJaJwoVDOOD+7FPondqOxITXMEzinJtzqfEY6SB8q
+bwRP9bMSyGaJl0fxbqdUxU4iVj8b1JpxuhFtvZik8i06avrOPfYmSngANBOECsmuC3Uf2p1IHJR
Fd8o12j01zdQQH3EAcG4dAdIuGHZxdLBQSQ808HvBDno9epau142HDHKUji42mf9Bc9DK4wW6Szb
BGdefacEmowrwnlRuc3TyFwfnLuM6AB3k0HhOfUz/4tFKWN1DxN/w6xT30GSE2pp21lu9xN1S6X
GXOstmDX40tgdMIfzVZqzDWFkZLVEKse7Z/SNcKous49FdipChdy0FuEi4ua3NBFb8ImK60AEQEA
AbQyZjJ1MDk5ZDQtYmM5Yi00MGm4LWE2NmItMWE1YmM0MjFjYjRhQGFlDG9jcnlwdC5vcmeJAc4E
EWEKADgCGwMFCwkIBwIGFQoJCAsCBByCAweCHgECF4AWIQRp5NnH84f8yaNXvfFHTviz1NECaUC
Wg34wAKCRBHTviz1NECaLEtDACAozWd0RHFsa8scsp/J63hHmJplmE9eQie3WTaypWOTwrNXFu
2evLWETKM2JP5mKHU2EIq551cXxUxUxVOzFz6/4pJ70Jh8je9sg8/9aZCGLu+0B9vMTKEtOJRitG
y+AeosZUAKhPhLWvNwCnN3sjfBEuZ8p1febYy1ZqedAlyzr8F6FinBfAivPXqVbEOCB9dQ2JVgJA
U/5joG6jDenTOIReerLfc90n3ris6AFN8LtgDMjx6GJ45WjnpawEYeUd3jqMwZ5HrPkR3CMM3Kx
XCv8r6Si9UdXQsFonVb2ZI5narwCQpRLi0FwlvretzSOGKdtYOXDWXpgMw7npS0NqCTyF8WG+Nq
Gq4cwKmlSmYyhvsxIwu134CrA5HNvESUaVPHlenRtfaJeAHf2KiVx5Wt4tM/Rsm+Ls+3U8wKnzGt
hNcfmAHZ40+45Drmjc/RzWQMGTWLMQd4uEQ79bulcRXrdde+0sRGweBdLACIU9R8meLXUtWFRN
jY0/OQS5AY0EWgG3vgEMALLuoYUyqjHxHWA5rtGWVgN7s36ypU7KLX8gWk0cz15K0j1K6x+RAQfq0
IkcMekC5ShdIt4B7P8+dwWPK75VsTnPk8mlm/QurSNx6KmpBdsr6qy3S6u8C8JicNgutEA3s3nAE
fkvnMmqzP9Z+g8BI5ZUjQAahlW3Qj7g/QKFHhSrYU/7TXGn709VvpvKF5HqLdhmpPWI/pUrO2sK5
4VR8q8MPXa9fdbE3edYWmAwMP69wYbyC2aW2OnKyI/jfcjMDabGTSDysCmyJ2F5NU9glu0acc6qe
CVCmC8LI2ddQp+h4A8QcVVRsvxYGg25d9Ii5dJVRupKTWWey7Xak5xEECEzC78y7HAsaA39M9JM
zsLD/szyrVuo7gXzgyoZJNQ60+h+GrRVJEikrUTddbLaPq/v3hYZaGg3ECuBOy2ISf10eC7S6Obf
jrSQ9WmIG6s5r2IjOaPX++9xrqh9uUAeEgO9dtDBMfEtW8X6buL9uSXM16z5z6E8L1BqGG4x56OI
owARAQABiQG2BBgBCgAgFieEaeTzx/OH/Mmjv73xr074s9TRAmgFAlObt74CGwwACgkQR074s9TR
Amg7YAv/cv5Yt3Ja/flXuFhk+TU6WMvz0ehbMIeGw42aw69k78vtEnhWZeyfve0Vn8YO2/s+n8q
cimkJFm0TNYnmybO61bCtJG03UsJ84H0zB2L5ws8htfTHY3xqBqaz7hBxki9oK1rIcSeSPfbGa48
O8w1+FQswFht0L4BTcd/4OfdwLVWFPvgjk/Uzn9vMKXmgtN9+VJ72hwKU/Rf3PnWI6DIKM6MA50a
YUHxzjYR2KBmq6LJ91rdJ+WUBV7EB2HwtCsx/6kA5gy4ZLQLhrhQz9fS5sjCwFH4mg0i3qTRGxWx
```

(continues on next page)

(continued from previous page)

```
UwKVvwExHYbqvcEQvWw/13PO6eNjd2qG1Y6uAI0K8Un3UmFeVRQBNmFyX52GqJvMtPdXcawrj081
Mq1XoBRs6qW+WpX8Uj11mu22c57BTUXJRbRr4TnTuuOQmT0egwFDe3x8vHSFmcf90zG8iKR9ftUE
+F2ewrzmm3XY8hy7QeUgBfClZVA6A3rsX4gGawjDo6ZRBbYwckINgGX/vQk6rGs
Autocrypt-Gossip: addr=carol@autocrypt.example; keydata=
mQGNBFObt8oBDADGqfZ6PqW05hUEO1dkKm+ixJXnbVriPz2tRkAqT71TF4KBGitxo4IPv9RPIjJR
UMUo89ddyqQfiwKxdFCMDqFDnVRWlDaM+r8sauNJoIFwtTFuvUpkFeCI5gYvneEIIbflr3Xx1pf5
sLzaERhrHMZMG2farrA+IBymPf/BRdce3rkUU95ssna51/aEEA/YrCFawcGq7yW700mF1Km/SiCZ
V4/m0fae9+Xw+elWMb+Mav7xL1vbqGIIPVr0bZgg8rr4qnJeK/Nx9OvFDD/TepcUfWWUtD8mFYdE
P/2OJs5WGLj1QKUK7LNLdix7deGVhriugVGMsDn5BTtoj0EXlqi1khOGX2PGz/E+KOWBMnUdU7M1B
qeCfKIIdtwCx3bkLd+eRAvF7UPQ+nZV8c/BvDJSGL7Mak3wrd9P2YxmSFditPreemtGHsSE0KdJ7
Cbg5w4LqD9nTv2CETwFsZeP2YABqLe31dlfKEsxTJahVTmTWMkBSTaAmtTmbU2tZsr6nJJsAEQEA
AbQyNDRkYtliODUtZDgWYS00NmQzLWJjMGUtOTM2ZWMxN2Y5YWzkQGF1dG9jcnlwdC5vcmeJAc4E
EwEKADgCGwMFCwkIBwIGFQoJcAsCBByCAwECHgECF4AWIQRNY57MDS/rhZDQVtfbQ7jfn25RMgUC
WgG3/wAKCRDBq7jfn25RMsnKDACs+o9B41TQlTfx+vChiw2KNdlVGCFfSp2TwuiUjkkpLXHwk34N
pFabiAUgNNg80Wh9Jkv7b0KX1+eapmkMbNpHWN7u2bMxjerKvp1uuuZNSYGB6YYDDQJrhUarieFm
eYNMV0r3NGKihfM41+E9rvbrUs4AIWdGn5Wx9mM78XzGy2WSxuI0FRN+zJ5dYphVI+VM8IR5Ah8f
b/g7c9Vttc1h3ICEuOxkJBcvSGafSc+KVj8SrsAajnh1vRD/RBwQmWN7Lay0+9GIWG7U1xLm5LjWb
0vZ+9giGbZuzuKUtvAu05j6pxdVdNn2yXYKvM6RNTFrnzRZ0JSuB7JmcS8xUvJh11Xk+lLa+xlEs
r5URQJ7weoqSffKyCojFMd+l3tfv3lfhCk+9VYqnxAq817ooTeRYH1rXn6vI5qxWjYqpf4Av+yiy
771j8ES7wRfTsmvHblZHYehr20kQr2ibRiv28XdOvxh5UDU4joNvV7btK+uQM0fqgdpPQd6RQQ97
BjJxI/W5AY0EWG3yGEMAL2AepcoX8fAdRuyaJftxM+9PBiARIu5Nvf8rVbI87+qvENEXoDWfT2I
/iGskpY+5KtnYnDfQo8ut/DgHg53Ea6gtDr1z6+FibmmoTXm81tXnTIMf2WhHMq/P343bHRWYqh4
V3qes1cAzugp8DF8sE4JtelrCksRjzAWj1BD2X3g2WWSx2wZT4LsIAuDXW0xXSrlVzg8hSKY4Xq+4
6KxaRzG0H+N91X8mj1QMTV16aX5WVI6Rk8WDxpAmBny1CbK1Uu/sRhN40Td3NMQj7bkpcnXeeceO
/JVbgLEvARG5mj14BWJMSdgXoI12o6/v7xPh+b3cpc7+W6zApvwyhDLaiZHjDeS1Sqt/BeeIQqiW
4G75zwBkD3jLRPr/meO/z6J99hQVZYCnIQtzfxw4dZ6teJ1W7rfkn9BiX1dG94xi2poWR0T4TPjP
TAFTDSzWdLsPjvk1b0/+nhHuGeYzTVEW7Y0yIzZXE5rVmTcuCpFPv+M6VrFfnlCdb5iSJZ341019
owARAQABiQG2BBgBCgAgFiEETWoezA0v64cw0FbXwau4359uUTIFAl0bt8oCGwwACGkQwau4359u
UTKySwv/caLupPaC7kudaEEWlwlY1KbrKAWPeS0RYIYaPgNrgDFj8e9ThaxMaogD8JRdJ35kZedm
wInRKvwSCE9NydkJNGBbUkXqInnnuqqg0nFELdwJkfk8+sOhnXDoCrUkAoS6IbUqQ9ua9gFF5kmj
+jKhWmNRR90k5refGrpp9C61DTxGSokNqt2Ca7/06oBovckRNQln75xR04ikvBF9o3VZcfSyDxR+
eNEb2fMmp66vda8KYncvhBMC3Gi+ablNCFbMP9Lax+pzAB2xb1USBxQcJzDQBmHYLBESAx6IEDne
c6d9sMH9Y3GPq4aS4M9gFVCCVv+nUGzkYYEordIot2dKTPRQi2Cz//XXrVNg1pXhdtDUgh0mKBuM
6dYFLBDqcdRrPcQabyGUJZyHknkQJkto0aSNmHqasjuVhS2N7UuHI+ILMU1SQpBQaCirTTz+CpwKU
Iy9qsds5eg/4Vvc2AezUv+A6p2DUNHgFMX2FfDus+EPO0wgeWbNaV601aE7UhyugB
Content-Type: text/plain

Hi Bob and Carol,

I wanted to introduce the two of you to each other.

I hope you are both doing well! You can now both "reply all" here,
and the thread will remain encrypted.

Regards,
Alice
```

5.4 Example Copy when a Reply can't be Encrypted

```
The message this is a reply to was sent encrypted, but this reply is
unencrypted because I don't yet know how to encrypt to
`bob@example.com`. If `bob@example.com` would reply here, my
future messages in this thread will be encrypted.
```

5.5 Example User Interaction for Setup Message Creation

The Setup Code shown in this example can be used with *Example Setup Message* (page 22) below.

You'll need to use this Setup Code in your other e-mail app to use the Autocrypt Setup Message:

```
1742-0185-6197-  
1303-7016-8412-  
3581-4441-0597
```

5.6 Example User Interaction for Setup Message Receipt

To initiate the import of the Autocrypt Setup Message, the MUA can display a message like the example below:

ExampleMail has detected an Autocrypt Setup Message created by one of the other apps you use to access "alice@autocrypt.example". By importing the settings from this message, you can start using Autocrypt here in ExampleMail too!

Please enter the Setup Code displayed by your other e-mail app to proceed:

```
17__ - ____ - ____ -  
____ - ____ - ____ -  
____ - ____ - ____ -
```

[Cancel] [Import Settings]

5.7 Example Setup Message

Alice's MUA sends her a Setup Message after showing her a Setup Code (the code used here is the one from *Example User Interaction for Setup Message Creation* (page 21)). The generated message looks like this:

```
Date: Sun, 05 Nov 2017 08:44:38 GMT  
To: alice@autocrypt.example  
From: alice@autocrypt.example  
Autocrypt-Setup-Message: v1  
Subject: Autocrypt Setup Message  
Content-type: multipart/mixed; boundary="Y6fyGi9SoGeH8WwRaEdC6bbBcYOedDzrQ"
```

```
--Y6fyGi9SoGeH8WwRaEdC6bbBcYOedDzrQ  
Content-Type: text/plain
```

This message contains all information to transfer your Autocrypt settings along with your secret key securely from your original device.

To set up your new device for Autocrypt, please follow the instructions that should be presented by your new device.

You can keep this message and use it as a backup for your secret key. If you want to do this, you should write down the Setup Code and store it securely.

```
--Y6fyGi9SoGeH8WwRaEdC6bbBcYOedDzrQ  
Content-Type: application/autocrypt-setup  
Content-Disposition: attachment; filename="autocrypt-setup-message.html"
```

```
<html><body>  
<p>
```

This is the Autocrypt setup file used to transfer settings and

(continues on next page)

keys between clients. You can decrypt it using the Setup Code presented on your old device, and then import the contained key into your keyring.

</p>

<pre>

-----BEGIN PGP MESSAGE-----

Passphrase-Format: numeric9x4

Passphrase-Begin: 17

wy4ECQMI0jNRBQfVKHVg1+a2Yihd6JAjR9H0kk3oDVeX7nc40i+IjEtonUJt
PQp00tPWASWYuYvJzSuTz9rlyZYV+y4mu9bu9NEQoRlWg2wnbjoUoKk4emFF
FweUj84iI6VWTCsRyMu5d5JS1RfOdX4CG/muLAegyIHezqYOE0Z3b9Ci9rd
DiSgqqN+/LDkUR/vr7L2CSLN5suBP9Hsz75AtaV8DJ2DYdywYX89yH1CfL1O
WohyrJPdmGJZfdvQX0LI9mzN7MH0W6vUJecAUpujc+UkLiOM6TDB74rmYF+V
Z7K9BXbaN4V6dyxVZfgpXUoZ1aNpvqPJXuLHJ68umkuIgiYqvzmMj3mFgZ8s
akCt6Cf3o509n2PjvX89vuNnDGJr05booEqGaBjfwUk0Rwb0gWsm5U0gceUz
dce8KZK15CzX+bNv50C+8jjjBw7mBHvt+2q8LI+G9fEy9NIREkp5/v2ZRN0G
R6lpzWw+8TkMvJnriQeAbQDpxsJVT6ENYAhkPG3AZCr/whGBU3EbDzPexXkz
qt8Pdu5DrazLSftjpjkekrjCh43vHjG18IOiWxKQx0VfBkHJ709CsHmb0r1o
F++fMh0bH1/aewmlg5wd0ixwZoP1o79he8Q4kfATZAjvBlxSLyMma+jxW5uu
U3wYUOsUmYmzo46/QzizFCUpaTJ4ZQZY1/4sflidsl/XgZ0fD1NCrdkWBNA1
0tQF949pEAeA4hSfHfQDNKAY8A7fk81ZblqWPkyu/0x8eV537QOhs89ZvhSB
V87KEAwXwt60+Eolf8PvvkvB/AK1fWq4MYShgyldwCfkED3rv2mvTsdqfvW
WvqZNo4eRkjrnr9Be3LaXoFyY6a3z+ObBIkKI+u5azGJYge9704E2DrUEKdQ
cScq5upzXity0E+Yhm964jzBzxnA52S4RoXzkjTxH+AHjQ5+MHQxmRfMd2ly
7skM106weVOR0JgOdkvfiOFDTHZLIVCzVyYV1OUJYYwPhmM1426zbegHNkaM
M2WgvjMp5G+X9qfDWKecntQJTziyDFZKfd1UrUCPhrv11Ac9cuqgcCXLtdUS
ji+e1Y9fXvgyvHiMX0ztSz1yfvnRt34508G9j68fEQFQR/VIEpULB5/SqKbq
p2flgJL48kY32hEw2GRPri64Tv3vMPIWa//zvQDhQPmcd3S4TqnTIIKUoTAO
NUo6GS9UAX12fdSFPZINcAkNIaB69+iwGyuJE4FLHKVvkqNnNmDwF3f100czo
hbbWzA3G1pR2Ri6kfe0SocfGR0CHT5ZmqI6es8hWx+RN8hpXcsRxGS0Bmi2
mcJ7fPY+bKastEeatP+b0XN/eaJAPZPZSF8PuPeQ0Uc735fylPrrgtWK9Gp
Wq0DPaWV/+0940B/JvWT5wq7d/EEVbTck5FP14gdv3HHpaaQ6/8G89wVMEXA
GUxB8WuvNeHatQ7qXF7TkaZvUpF0rb1aV88uABO0PpsfAyWJo/PEXCZacg8R
GOQYI6inV5HcGUw06yDSqArHZmONveqjBDBApenearcskv6Uz7q+Bp60GGSA
lvU3C3RyP/OUc1azOp72MIe0+JvP8S5DN9/Ltc/5ZyZHOjLoG+npIXnThYwV
0kkr1si/71oCzvhcWOaclvrSaGVCfifkyf+LUFQFRfVbXKLOQ6vTsYZWM0yM
QsMMYwW5A6CdROT5UB0UKRh/S1cwCwrN5UFTRT2UpDF3wSBACChsHyy90RAL
Xd4+Z1yf29GIFuwqYzGBWnXQ2ytU4kg/D5XSqJbJTYa386UuyQpnFjI19R
uuD0mvEfFvojCKDJWguUNTwsHSg01NXDSrY26Bh1OkMpUrZpFX5r0FQpgDS
zOdY9SIG+y9MKG+4nwmYnFM6V5NxVL+6XZ7BQTVlLIcIIu+BuJVNWteDnWNZ
T1UukCGmFd8sNZpCc3wu4o/gLDQxih/545tWMf0dmeUfYhKcjsX9uucMRZHT
1N0FINw04fDdp2LccL+WCGatFGnkZVPw3asid4d1od9RG9DbNRBJEP/QeNhc
/peJCLGYLA1NjTEq+MVB+DHDGNouy//be3KhedBr6x4VVAzL6jyHu/a7PR
BWRvtI1CIVDxyrEXucHdGQoEm7p+0G2zouOe/oxbPFoEYrjaI+0e/FN3u/Y3
ag0dlYWbxeHMqTh2F31B/CFALReeGqqN6PwRyePWKaVctZYb6ydf9JV16q1/
aV9C5rf9eFGqqa+Oix/+XuAG1w0rwlznvtaJHzCoUeA4QfbmuOV/t5drWN2N
Pck2mJlcSmd71x53rnOIgme1hgghjezc4TisL4PvSLxjJ7DxzktD2jv2I/Q
OlSxTUaXnGfIVedsIOWjFomz5w9tZjC0B505TpSRRZ6gfpe/OC3kV7qs1YCS
1JTTxj1mTs6wqt0WjKkN/Ke0Cm5r7NQ79szDNlcc0AViEQQb3U1R88nNdiVx
ymKT5D1+yM6acv531NX605BH+mpP2/pCpi3x+kYFyr4cUsNgVVG1hmkPWctZ
trHv07wcLrAsrLNqRxt1G3DLjQt9VY+w5qOPJv6s9qd5JBL/qtH5zqIXiX1M
IWI9LwHFFXqjk/f6G4LyOeHB9AqccGQ4IztgzTKmYEmFWVIpTO4UN6+E7yQ
gtcYSIUEJo824ht5rL+ODqmCSAWsWIomEoTPvgn9Qq00YRwAEMpsFtE17k1S
qjbYy7Y5A0jpcvqbnGmZPqCgzjjN/p5VKSNjSdM0vdwBRgpXlyooXg/EGoJ
ZTZH8nLSuYMMu7AK8c7DKJ1AocTNYHRe9xFV8RzEiIm3zaezxa0r+Fo3nuTX
UR9D0H0EHadLrFQcSf5y1iRxY9CHg0N2ECaUzr/H7jck9mLZ7v9xisj3QDuv
i0xQbC4BTxMEBGTK8f0cjhHOABOyhqotOreERqwOV2c1OOGUQE8QK18zJCUd
BTmQZ709ttASD7VWK4TraOGczZxkZsKdZko5T6+6EkFy9H+gwENLUG9zk0x9
2G5zicDr6PDoAGDuob3B3VA8ertXTX7zEz30N6m+tcAtPWkaOwokLy3f0o7

ZdytBPkly8foTMWKF2vsJ8K4Xdn/57jJ2qFku32xmtiPIoas8wINO06AVB0
0/AutttvxPr+ycE+9wRZHx6JBUjAqOZztU3zu8WZMaqVKb7gnmkWPiL+1XFp
2+mr0AghScIvJzTDEjigDtLydURJrW01wxJaR0ByBT4z8ZjaNmQAxIPOIRFC
bd0mviaox61qgQLmSc6mzVlzzNZRCKtSvvGEK5NJ6CB6g2EeFau8+w0Zd+vv
/iv6Img3pUBgvpMaIsxRXvGZwmo2R0tztJt+CqHRvyTWjQL+CjIAWyoHEdVH
k7ne/q9zo3iIMsQU07tVYtgURpRYc2OM1IVQtRGBmbYGEdOrhmJaWULg9C7o
6oDM0EF1CAId3P8ykXQNmluFKlf9i15nr19B/qf/wh6C7DFLOmnjTWDXRiEiP
6wFEWTeUWLchGlbpiJFEu05MWPiRoRd3BHQvVpzLLgeBdxMVW7D6WCK+KJxI
W1rOKhhLVvKU3BrFgr12A4uQm+6w1j33Feh68Y0JB7GLDBBGe11QtLCD6kz5
RzFl+GbgIwpHi3nlCc5yiNwyPq/JR XU3GRb62YJcsSQBg+CD3Mk5FGiDcuvp
kZXOcTE2FAnUDigjEs+oH2qkhD4/5CiHkrfFJTzv+wqw+jwxPor2jkZH2akN
6PssXQYupXJE3NmcyaYT+b5E6qbkIyQj7CknkiqmrqrmxkOQxA+Ab2Vy9zrW
u0+Wvf+C+SebWTo3qfJZQ3KcASZHa5AGoSHetWzH2fNLIHFULXac/T++1DWE
nbeNvhXiFmAJ+BRsZj9p6RcnSamk4bjAbX1lg2G3Sq6MiAlfIRSM1SjuDLrQ
8xfVFRg7gfBIIQPERJWv2GdAsz76sLxuSXQLKYpFnozVMT7xRs84+iRNWWH9
SNibbeJlh0DcJlKw49Eis/bN22sDQWy4awHuRvvQetk/QCgp54epuqWnbxoE
XZDgGBBkMc3or+6Cxr3q9x7J/oHLvPb+Q5yVP9fyZ6ZiSVWLuMefA9smjJ/A
KMD84s7u0/8/4yug+swXGrcBjHSddTcy05vm+7X6o9IEZKZb5tz7VqAfEcuk
QNPuWCmudhzxSNr4+yVXRvpcjsjKtPlJcXC5aIuJwq3C50dysCGqXWjLuUu1
OFSOPvTsYC2VxYdFUcczeHEFTxXoXz3I0TyLPyXUNsJiKpUGt/SXmV/IyAx+
h6pZ2OUXspC9d78DdiHZtItPjEgiIb678ZyMxWPE59XQd/ad92mlPHU8InXD
yTq6otZ7LwAOLGbdR9bqN7oX8PCHRwuu30hk2b4+WkZn/WLd2KCPddQswZJg
Qgi5ajUaFhZvx5YNTqIzzYVh7Y8fFMfzH9AO+SJqy+0ECXOGwtHHeVsXYNb
P/NO/ma4MI8301JyipPmdtZvvt9NOD/PJcnZH2KmdquARXMO/vKbn3rNUXog
pTFqqyNtr4L5FK86QPEoE4hdY9ItHG1EuINVD+5suGVGUgYfV7AvZU46EeqO
rffj8wNSX1aK/pIwWmh1EkygPSxomWRUANLX1j06zX9wk2X80Xn9q/8jot1k
V1540Od7cvGls2wKKEzi5h3p6KKZHJ+WIDBQupeJbuma1GK8wAiwjDH59Y0X
wXHAK7XA+t4u0dgrPzBuumqQmvEvfJaCr4qMlpuGdeYbbpIMUB1qCfYU9taL
zbepMIT+XYD5mTyytZhr+zrsfpt1EzbrhuabqPioySoIS/1+bWfxvndq16r0
AdNxR5LiVSVh8QJr3B/HJhVghgSVrrynniG3E94abNWL/GNxPS/dTHSf8ass
vbv7+uznADzHsMiG/ZlLAekQJ9j0ENJvHmnaYeVFIXDV6jPCcQJ+rURDgl7z
/qTLfe3o3zBMG78LCB+xDNXTQRK5Z0LX7h17hLSElpiUghFa9nviCsT0nkcr
nz302P4IOFwJuYMMCEfW+ywTn+ChpKjLHWkZS4q6LzNTbbgXZn/vh7njNf0
QHaHmaMNXndhUw/B113uM52qtsfEYK07SEhLF1JbAk0G7q+OabK8dJxCRwS3
X9k4juZLUYhX8XBovg9G3YEVckb6iM8/LF/yvNXbUsPrdhYU91PA63xD0Pgb
zthZCLiInF+1S6e41WJv3n1dc4dFWD7F5tmt/7uwLC6oUGYsccSzy+bUkYhL
dp7t1QRd5AG/Xz8XilORk8cUjvi6uZss5LyQpKvGSU+77C8ZV/os62Bds5TE
osBTrO2/9FGzQtHT+8DJSTPPGR6rcQUWLPemiG09ACKfRQ/g3b9Qj0upOckL
6dti0lq7Aorc39vV18DPMFBOWzchUEB1BFyusA4Aod30tsoilAC3qzbWbu3z
QLjmsT76HEcWDkxgDAh1Bz6/XgiVZsCivn7ygiGmc2+hNEzIdDsKKfM9bkoe
3uJzmsvs8Bh5ZEtfgGNmu/za7tgvtOCBeotYeHr206pLmYb3hK+E/qCB114
8pK4qYrjAlF+ZMq9BzXcaz5mRfKvFAQtghHOaNgopBczSE1bjFF6HaNhIaGa
N8YdabNQG7mLI/fgBxJfKp16HdIhEpctp4RURbSFhW+wn0o85VYHM6a+6VgJ
NrYmhxPZ6N1KN0Qy76aNIw7nAToRRcOv87uZnkDIeVH8mP/Ohldiy/Y97cG
QgOeHQG27QW57nHhqLrqvf0zzQZekuXWFbqajpaabEcdGXyiUpJ8/ZopBPM
AJwfkya2LkV946IA4JV6Snu9pYzpxQ4vdQKJ6DoDUyRTQmgmfsFGtfHAozY
V9k0iQeetSkYYtOagTrg3t92v7M00o/NJW/rKX4jj2djD8wtBovOcv4kxg4Z
o58Iv94ROim48XfyesvSYKN1xqqbXH4sfE6b4b9pLUxQVomWANLK9MK8D+Ci
IvrGbz5U5bZP6vlNbe9bYzjvWTPjaMrjXknRTBcikavqOfDTSIVftT4qvhvK
42PpOrm0qdiLwEXGK9FfEfYzRGecYRGg7rH3oNz6ZNOEXppF3tC19yVO1Fb
ygdIeT3Z3HeOQbAsi8jK7o16DSXL7ZOpFq9Bv9yzusrF7Eht/fSEpAVUO3D1
IuqjZcsQRhMtIvnF0FuJfTtooJx9x3dj/RarvEGX/NzWATZkgJ+yWs2etruA
EzMQqED4j7Lb790zEWnt+nuHdCd1PnNy8RG5u5X62p3h5KqUbg9HfmIuuESi
hwr6dKsVQGc5XUB5KT0dtjWlK5iaetDsZFUF5+aE0Xa6PmiQ2e7ZPFYxXmO
T/PSHzobx0qClKcu+tSWA1HDSL08IeoGZEyyhoaxyn5D9r1Mqg101v/iu59r
lRRs+p1Ahbuq5aQA3WktF1N6Zb5+AVRpNUyrxyHoH36ddR4/n7lnIld3STGD
RqZLrOUKHS3dCNW2Pt151U+loYsWFZwC6T/tAbvwhax+XaBmiKQSDfMg9sBw
TiM1JWXhq2IsjXBvCl6k2AKWLQOvc/Hin+oYs4d7M9mi0vdoEOAMadU/+Pqn
uZpP941mOUV5UeTCCbjpyfI7qtIi3TH1cQmC2kG2HrvQYum6Momp//JusH1+
9eHgFo25HbitcKJ1sAqxsniYIW5/jIVyIJC7tatxmNffQQLUB2cT+Jowwsf4
bbPinA9S6aQFy9k3vk07V2ouY1+cpMMXmNAUrboFRLxw7QDapWYMKdmnbU50


```

HZuZ3iyrm0lMPsRtt/f5WUhZYY4vXT5/dj+8P6Pr5fdc4S84i5qEzf7bX/I
Sc6fpISdYBscfHdv6uXsEVtVPKEuQVYwhyc4kkwVKjZBaqsgjAA7VEhQXzO3
rC7di4UhabWQCQTGLGYZyrj4bm6dg/32uVxMoLS5kuSpi3nMz5JmQahLqRxh
argg13K2/MJ7w2AI23gCvO5bEmD1ZXIi1aGYdZfu7+KqrTumYxj0KgIesgU0
6ekmPh4Zu51IyKopa89nfvQVj3uKbwr9LLHegfzEmhvI5WQWghKcNcXEvJwSA
vEik5aXm2qSKXT+iJXBy5MuNeICoGaQ5WA00J300h5dN0XpLtFUWHZKThJvR
mngm1QCMMw2v/j8=
=9sJE
-----END PGP MESSAGE-----
</pre></body></html>
--Y6fyGi9SoGeH8WwRaEdC6bbBcYOedDzrQ--

```

When decrypted with the Setup Code, the encrypted blob at the end contains:

```

-----BEGIN PGP PRIVATE KEY BLOCK-----
Autocrypt-Prefer-Encrypt: mutual

lQVYBFn+zzUBDADBo2D+WUbm3lN1lXtQTxLhxVADIIMLK1dFUgu5w1KAMrW0x9x2
7cRNxzVrTfiv2FiwThUHZmJBFai8HtsMvn/svrCPEGPvkjTDMCWZaEEc5/g51Uys
zjf6fUsGXsC9tUcva6pGHaTe8Iwpz5stKjRKI3U/mPdQpXmaurwzEdvlNWNi9Ao2
rwWV+BK3J/98gBRFT8W6gv+T/YGXVrQXMoMMKLTfze2uy00ExJkhI64upJzD0HUb
GjElYdeSWz7lYhQ2y5cmnWPfRnOxiOCVyKrgBulksda5SIjEqCJCvYprX/Wvh5fe
RXYftWVQUMeo6moNohTM9X+zQJPWWuWivOJpamIuUCziEycX8RtRo0yAOPwC/vIp
poxAMusQCVn15YwVEcngzXUi3EB72wXJ4411VfzPCSlgVNzV7Yqx1lW4PMRcFB2o
bl025rk3GDlmgEVCg1Hh4FtEBkmwVjiv4duN0E33r2Yf80sFAkKnRCR1lYn8409D
aJGou4lhEV+LAsUAEQEAAQAL/i2DNOQ7gCR565RmzMvYtheuP IrrnJlmt7WxndNs
8wpyQM6rrige5QWh9a6RrkrIdzoDNEKfwCbLjDQhLXu+18tBm7axBY4052VcPu4i
eLFuXWPCfE/ejX447kYiRbuhLMjazbP6ujpzQAKAyxiPw6gMUv3eenyVbd33g3D
3BMw2/oRYyguVYoE+4MkqdJtuTX8VL1s11G16vGRQeOJgqY07ptVzj+fWUiP1qw
a/uHEdidebTj0FrYtyYt6fhDB5QNKr6X3Bax+1N82mJI4iGCONbwPzQcTy+LXub6
Q9B5V5qB6P9A3RfwpgeJ0H8y/WfgT9Jfmzq+fwMtaDvftkHA94IlbYWfUuXeIk1f
HqESWo311LxG59PxxvBtRWRVACW2Hz7IcAmhEJAZkEUBGkn5o1qKBrnJX9/4nG
wKfVfXc358KwvRd64pZnZrwjvf7CEhFicWNeWyFjaG0Cq1sGxanzxUch+SOlgHx
w7b6e5S1+G19+blFRIT+wk4yQYA16SgrvPzXj3Mat238BsosX5N+6RL760HjXoU
SC1E0UAgFxxVouWuGMSA/p41nDkwN8dPkVP+8AXYc0mgsCv/5jOgm9PxlU2LUGeA
0ZLN3+XFcpxxvEILcfErrwlPPL8lmg5cK2NHNNCspwEUssiLd1luQO3IzEFrfc0
GMARweu4Vr9pbD5Qrvaea+TATe0lHj2dDE0EJjDEduWiKWhNGK6wp3z4MhGpuUN/
CSywaZiy4V3HapPt5t0ckAVVTaYJBgDl4IGlXhjrEke7aplWHulzSxjtPupyVLbj
RjhvhKZUtPul1ETg3SwX0cdyAyl1Ct6rs4Hpp19HYcJE3mWYDfn+B8R3+HGh0Hhs
uynnLzx5WD4xsWVFAELuvVjzWcOnQnxamUzHfE+5+8GuTechZjGrPvVzddMg09DV
5QU6tqOUfie3tmJu5KSEdfzIomL7p3ZnEcLr6tSdyHq6XalFt27Y6xNdWdad1I
KO+FamsTlGUlQnpInWjj4Ee7ZVJAhd0F/iOFZhc5nmox8asjOB9wyEvzEu3ilW/
Rh3EDTMLKjWfZ3H8LFxc/vt+T8LDn9paggV4K5OH8v211lhYlUezygVFRRXhtbt1
pvoN/sAnZsvii0PXec8vM7kttX583LyF0phuMFZORaii47VvYUqzBTrKdggwxdjE
NagvKTQhsGIJWh5ojHROnpOHazDKZcwfYvNzPuRiYURsIxXeYak3i3d2Lg6acxA
wnySqvFKOVsQlROYxzbUspVi3X6YBipwXOSXtDjHmWViZDY4ZC04Yzc3LTQ1Yjgt
YjAzMy04Y2FjM2Y3ZDIwNmRAYXV0b2NyeXB0Lm9yZ4kBgZQTAQgAOBYhBOYEam5E
13w/zp/QcnHbxWV/3mWnBQJZ/s81AhsDBQsJCAcCBhUICQoLAGQWAgMBAh4BAheA
AAoJEHHbxWV/3mWnCL8L/222EH1DqjLKMRE9mZFjdXyfrTB3SHfm4upB9xvnVRgp
neP7rWdyTPaIH0utHFj1dFvaJMyrNr4nN7j+D9VgcuVltmDQzeksRntITIO9lVPn
bcFUWwJDCOSrrv0kZn/E/Mk49pvW51cWwo8R82/MqAr7HRrhDxvTdj6YvmaYY8Gu
e4Lnr+cWF69StBtu25TOEGcwUGw8q/NZRMocSAGMurP7xq485B1JsXYP/UES+1uh
t2BCL5gktqPvv+1RFHWSnuy7nUh99OzSqAwmmHyPBBiUxAyGjPLjd6pPXL1AT4Mf
1EEBilxEKZNWetlnxqmdakf9rF8IONuhbAPraA3R1rBztYRD6t2C7xZOhyjJgDqL
IKTpezn2Y4YTSCwJ1m/Mqu4k5iq8RHN40JsNzeFcoM4TzaiQGNCGw5UIrdru7IAh
mdzP0qi+LQKRd13cS4bzb3sdJ/X8+6myIWAcGwnOZnnj35kcteVnmyzhqP0el7ts
KTYhRQv4DrX6clhWxUNI7Z0FWARZ/s81AQwA0jF8OQSOCGXRCxvOodpQCIGH4ZI
xdQpt1CfbxkbFH/ZjnC7s7kx2Q8woiuzJCjBJ4afXyuczU/GdEY6tf5CdV1N2Tvd
V4wgPqczVNN+/mCaSnxvo2mEY945NnIkhuOBDETPYtRuEUux5FL/oI4XmrpOP5Mk
VI9sOzmRWbwuoCtra9292nFXr1Y/YV/PacgpPETCcmPzeunvIQjnarPzExMI74i
QEhz2vB2PtOonEw5N1B1+lJ+W2IbCDeUIZhoe56MnMNCVT9fo4ISr9ZPv9RWo3Bm

```

```
SuxPi4b0EUZb5Y5e46mAdi/RhDrZdACi1U1dRjXRcWtJvoNOvq9iN3QuT/PuJwBf
m70OV8k3dNwonFLSkNa19gPnYH3fr6aLMZH73u7KoQFU1ArDDWm8p1kOu6JHjc7S
TrdMw7/hwCFd/Dur3X9EwaBM1fZQL8EYyJ4/OJug/4YdfzuFGYC8UJGNBzQoXLEk
Zs0ogPcqf9GFSt48IBVYjfiVJDQOjmouVGf1ABEBAAEAC/4tr+ez76K7vf8fQ0r4
NjJAdJ4zr0BVKGGzBkVkrJlPUvryG1ub84mb1lNAR42TM/1IrRgpe6XENEyN/C5p
28TPUrWZ2wofqw9d9oIwMxf0SoP1h10H75iLiOI3zeZWf47OHw1QbhkuzpvuosA2
QXNtWATGceFZNGOCGqCVl1Gt00nxIzvOBBiZvX2gWM15Vmp+X3Y/w6w14D4tmI0
M8meHc3lbb7taCGvyVd1j5QjReigPovpeRpsu21jE4sw4vma/IZuiEgO+0JPA58K
atGP+y1mEHT78KyKc7EdJY+Pw9a4uD2eTdNOiHjOdFyBVf/JHX/nG0dBQrnL14J9
lQbGGQXxlt3qo5v9jp6NZJ+IC4/ONYmLBFFS5QWJ4rWveCO49wDjuPh5HVO4yvrX
KrxVA8GCKbV9ho3gCbJyMoqfNdcEtbgKzc84W+alVrUUKbuUEPK6j+auGTLlPII
Wym6hqHPEN0bkr3qo1wn6nCyYz2J83RqgMKmw5Ovcz5zmjEGANR2GBQs0rYY5m3z
x2ISPu1ZHpaJW7UB1RfgmhCQ78NIUPOji8Qp2/Ehj94+/OULmTUKCTNXeFlt0PzF
atIoQWohM8aoA7K6ZJrk+PdPTu6/2seEtPm6YfaIMG09TJgxc15hC6jDc7x4wxj9
1Bw9zVzFGpRTfsgawVh0+BoM2tQ17R4oWVjXopGRUkznB/ZJiZXDbxeq7lNcqQou
6uib2SF3amZes/a+CdQR6GC+cGNAEz3YRb6d4dsEmp3xQrEsRQYA/Uw95K8jjIYs
GSngKdpfAE8rEbn6Au92OKONEE1OvdFFuLg+m8R2TYXr9U8j5bA961vKvSe/nAUj
jn7Vjnk30Fo05htW0agkGIAKUDES6Z1jGdJwRd67IM+GHLHoVkiSDCY0JLS76HO7
JC/P08j+2K6IwSYqx8TUTyWMPGtIRDEllgJwPTXKnV9H7WTbqqjNgWR3dalKKLY1
Ox76ZMCjn6JrkYR1WHnkIjLZSVLnPMSeohm7KvYwrnma4rvGPF/xBf9QvfZAJF8J
2Ez6LFePDA8joX9m75yXh1ClfPjPmhu4+gaanPU7+S8gU52BvD6AFqzJQsvwZmB9
uzqiKQooqez1Js9zP/6+sPk91SmZzdVlJq4/JwaiCptw9/tGW8/nFQxNeg0jd0JV
IFPmop0+ouvyTINKfN69AgU3BuBGo+kTXRbjV7Q7JNdfFjSKBK56ptFJvR/h4mpE
0Lxv10gKnmDxWYyE0Byquak0hd75O209ttRWeatE1b1o4bV0+A10si7lxIkBtgQY
AQgAIBYhBOYEam5E13w/zp/QcnHbxWV/3mWnBQJZ/s81AhsMAAoJEHHbxWV/3mWn
miML/lkdi2CpT13v9bDCn4fokmHiY76sdeYuDmi7pqJ7fm7WZqcmA1PLDmjAddqA
YEN7DWGkKX5E5P0Dcn5W7okTjyXgDUMwuwpI90gwRaDF8qsZp84R9D9ar0/dFTgd
OtT9Wh407rLlOPjLryyq4L2i7cyuMbohyM6ZEwr7XMjZokuUItolJld91EOh3HEi
BGmTucPs+mv1dCWdfZVcDpzmrvKeA7Ax6OCn3FCqTVCqFBoJDosZ+w5rKnZZ0KcG
sOD8Z0rIOx+YphyhdV6P/J4dBuVpeZKSXp3YiNWRsv8hEozfYtZCkqi+F/keD5E/
X6AKKLaCt06y23Mh7sRY+bpnFLqqhn7L44YA2SMr76EX+F9AZ59YfYaaOmbwaDw
zOZSchVC+uGceRly3egkFxn2X2VXjPjg6kMiExkE/qe7ja4mReNgyok8iYyRwAYI
lfiideiDOMKGhnwsAFpTFYPiQ7n+xHPiiseVDQyNfdyU08xlaeuRr89jKvwh0/6Xh
TRzalg==
=f96/
-----END PGP PRIVATE KEY BLOCK-----
```